08

DIGITIZER

WATCH YOUR IDEAS TAKE SHAPE

HERFST - WINTER 2002

Projectoren in de spotlights

IN DIT NUMMER:



EPSON

EMP-30

Home-entertainment compleet met cinema filter

PAGINA 06




hp

sb21

hp print uw beeld op scherm

PAGINA 02



Sony

VPL-CS5

Ultra lichte draagbare projectoren.

PAGINA 31

Projecteer uw verbeelding ...

hp print uw beeld op scherm

hp biedt u de mogelijk om uw totaal imaging concept te beheren: van input (digitale camera/scanners), verwerking (portable/desktop) tot output (projectoren/printing). Hier vindt u de mogelijke oplossingen rond projectie: "hp print uw beeld op scherm". Verder in deze 8ste editie vindt u zeker andere hp oplossingen.

sb21/xb31

Deze 2 digitale projectoren zijn ontwikkeld voor de (mobiele) professionele gebruiker die een hoog kwalitatief beeld wil projecteren met een hoog gebruiksgemak. Waar de sb21 één van de lichtste is binnen zijn klasse (slechts 1kg) combineert de xb31 zijn uitermate hoge lichtsterkte (1500 Lumens) met een uiterst lichte bediening.



sb21
Artnr.: 773064
Partnr.: L1510a
Streetprice: 3.751 EUR
(excl. 6 EUR recupel)



xb31
Artnr.: 773065
Partnr.: L1511a
Streetprice: 5.566 EUR

mp1200

Met een licht gewicht en bijzondere afmetingen zijn de MP series de echt draagbare projectoren. Het resultaat is een ultralichte, zeer eenvoudig bedienbare range van projectors. De mp1200 is het instapmodel aan een wel zeer competitieve prijs! Perfect voor wie op zoek gaat naar een DVD of video oplossing voor projectie thuis of op het werk.

- support voor hoge resolutie (tot XGA)
- erg hoge lichtsterkte (1000 ANSI Lumens)
- aantrekkelijk ontwerp (silver & carbon)
- integratie van alle connectors (Video composite, S-Video, DVI, VGA, USB) afstandsbediening



iPAQ mp1200
Artnr.: 782589
Partnr.: L1547a
Streetprice: 2.904 EUR

mp3800/4800

Deze modellen maken gebruik van de innovatieve Digital Light Processing (DLP) technologie voor een perfecte beeldhelderheid. Het resultaat is een ultralichte, zeer eenvoudig bedienbare range van projectoren met een, tot nu toe in deze categorie, ongekende beeldkwaliteit.

- extreem laag gewicht en beperkte omvang (slechts 1,6 kg)
- support voor hoge resolutie (tot XGA)
- geïntegreerde luidspreker
- hoge lichtsterkte (1300 ANSI Lumens)
- aantrekkelijk ontwerp (silver & carbon) in tower-vorm (neemt minder plaats in)
- ogenblikkelijke installatie (automatische instellingen)



iPAQ mp3800
Artnr.: 782590
Partnr.: L1548a
Streetprice: 4.598 EUR

De mp4800, biedt professionele beeldkwaliteit en is één van de helderste microportable projectors ter wereld. Met de optionele Ceiling Mount Kit bouwt u een eigen digitale bioscoop met de ongelooflijke beeldkwaliteit en scherpte van de iPAQ mp4800, en dankzij de meegeleverde afstandsbediening is de mp4800 de meest flexibele oplossing voor onderweg:

- de ingebouwde 3.5-watt stereoluidsprekers bieden betaalbare en kwaliteitsvolle audio voor multimediapresentaties
- de lampensparende modus verlengt de levensduur van de lamp en stelt de gebruiker in staat om high- of low power displays te kiezen.
- resolutie tot XGA (1280x1024)
- 2000 ANSI Lumens
- afstandsbediening met laserstraal



iPAQ mp4800
Artnr.: 782591
Partnr.: L1549a
Streetprice: 5.687 EUR

Why Buy?

1. hp: de totale beeld oplossing
2. Uw mobiele partner voor elke toepassing
3. hp kwaliteit: "print uw beeld op het scherm"





DIGITIZER

COLOFON

De prijzen in deze folder zijn enkel bedoeld als richtprijs, zijn niet bindend en zijn inclusief BTW, exclusief Recupel en Reprobel. Vermelde Recupel of Reprobel bijdrage is inclusief BTW. De prijzen zijn geldig van 15/11/2002 tot 30/04/2003, onder voorbehoud. Elke Digitizer reseller is vrij om zijn eigen prijs te bepalen. De uitgever is niet verantwoordelijk voor mogelijke drukfouten. De afbeeldingen in deze folder zijn evenmin bindend.

Verantwoordelijke uitgever:
B.Raspoet, Assesteenweg 117/1, 1740 Ternat.

Beste klant,

De eindejaarsperiode nadert … en Tech Data is klaar met de nieuwe editie van Digitizer.

Centraal thema voor deze 8ste uitgave is 'Projectoren'.
Nooit tevoren was het zo moeilijk om de aandacht van het publiek vast te houden. De tijden dat een paar transparanten voldoende waren, behoren tot het verleden. Multimedia en projectietechnieken hebben hier definitief verandering in gebracht.

Van consumer- tot business-, van mobiele tot vaste installatieprojectoren, u vindt in dit magazine de allerlaatste nieuwigheden.
Zoekt uw klant een thuisbioscoop met een goede prijs/kwaliteitsverhouding of vraagt hij naar een projector die compatibel is met analoge/digitale TV's, videorecorders, dvd-spelers, spelcomputers, pc of mac ?
In deze Digitizer, uw salestool voor de komende maanden, vindt u het antwoord !

Tech Data, uw partner in Digital Imaging, biedt u met Digitizer 8 ook een compleet overzicht van de nieuwe digitale camera's, fotoprinters, scanners en software.

Eén beeld zegt meer dan …., juist, u leest het allemaal in deze Digitizer !

Het Digital Imaging Team

Projectoren in de spotlights

De projector bepaalt het succes van uw presentatie



De nieuwe generatie multimedia-projectoren is zeer geavanceerd en heeft tal van technologische specificaties. Kiezen lijkt hierdoor niet makkelijk. Prijs, gewicht (draagbaarheid en aard van de toepassing), resolutie, lichtopbrengst en projectietechnologie zijn de belangrijkste factoren bij een aankoopbeslissing. Kijk en vergelijk. En koppel alle informatie telkens terug aan het presentatiedoel en de presentatieomstandigheden. Digitizer zet u een heel eind op weg.

Het succes van de presentatie wordt voor een groot deel bepaald door de apparatuur. De kunst bestaat erin de juiste projector te kiezen voor de juiste doeleinden. Tenzij geld geen rol speelt, natuurlijk.


Wat voor soort informatie gaat u projecteren?
Computerbeelden (800x600 dpi of 1024x768 dpi), videobeelden of beide? Dat is de eerste belangrijk vraag die u moet overwegen bij de aankoop van een projector. Projectoren kun je op basis van hun resolutie immers indelen in vier categorieën: VGA (640x480), SVGA (800x600), XGA (1024x768) en SXGA (1280x1024). Het is evident dat een projectie van videobeelden een hogere resolutie verlangt dan een presentatie van statistieken, tabellen en schema's. Goed om weten: als u kiest voor een projector met een PC Card Viewer, kunt u de laptop thuis laten.

In welke omstandigheden gaat u projecteren?
In een te verduisteren ruimte? Of in een niet te verduisteren ruimte, eventueel met veel zonlicht? Het antwoord hebt u nodig om te weten hoeveel ANSI Lumen (lichtopbrengst) uw projector nodig heeft voor een feilloze presentatie. De keuze is makkelijk: uw projector heeft meer ANSI Lumen nodig in een helle dan in een donkere ruimte. Anders gezegd: hoe hoger de lichtopbrengst, hoe beter de projector ook geschikt is voor presentaties bij daglicht. Ter info: de meeste courante projectoren hebben een lichtopbrengst tussen 800 en 1200 ANSI Lumen, maar projectoren met een lichtopbrengst van meer dan 1500 Ansi Lumen zijn geen uitzondering meer.

In welke ruimte gaat u presenteren?
In uw huiskamer? In een kleine kamer of in een grote zaal. Ook dit antwoord is belangrijk om de nodige lichtopbrengst van uw projector te kunnen bepalen. De mogelijkheden en beperkingen van de ruimte bepalen ook hoe belangrijk extra's zijn zoals een keystone correctie en een lens shift functie. En de grootte van de ruimte kan ook de doorslag geven voor de keuze van LCD- of DLP-technologie of voor een beamer met een laag ventilatiegeluid.

Welk soort projector wenst u?
Een vaste projector? Of een mobiele projector? Vandaag hebt u projectoren in alle maten en gewichten. Lichte en compacte projectoren zijn - logischerwijze - gemakkelijker mee te nemen dan zware projectoren en daarom meer geschikt voor de mobiele presentator en voor gebruik op diverse plaatsen. De zwaardere projectoren zijn minder mobiel, maar hebben andere voordelen, zoals een hogere lichtopbrengst. Ze worden doorgaans vast geïnstalleerd, bijvoorbeeld in boardrooms. De meest gangbare indeling van projectoren is: miniportable (< 3,5 kg.), ultraportable (3,5 kg. <> 5 kg.), desktop/portable (5 kg. <> 7,5 kg.) en installatie (> 7,5 kg.)

Resten nog twee belangrijke vragen:
Wat is uw budget en welk merk verkiest u? Het juiste antwoord op deze vragen kent u alleen. Maar als u de vorige vragen zorgvuldig hebt beantwoord, kunt u niet verkeerd kiezen. Alle bekende merken bieden projectoren aan met een juiste prijs/kwaliteitsverhouding. Met uitgebreide garantievoorwaarden. We wensen u veel succes met uw volgende presentaties!



■ **Ansi Lumen** Deze maateenheid wordt gebruikt om projectoren in termen van helderheid met elkaar te kunnen vergelijken. Wat cm is voor lengte, is ANSI voor licht. De standaard werd vastgelegd door het American National Standards Institute (ANSI). Hoeveel Ansi Lumen nodig is voor een projectie, hangt af van de (dag)lichtomstandigheden in de presentatieruimte, de grootte van de presentatieruimte en de doeksoort van het projectiescherm.
■ **Keystone correctie** Tijdens een presentatie wordt een beamer vaak op een tafel gezet met de stelpootjes uit, zodat de beamer schuin naar boven projecteert. Hierdoor komt het beeld schuin vervormd op het scherm. Dat noemt men keystone effect (trapezium- of 'emmer'effect). De mogelijkheid om het schuin geprojecteerde beeld recht te zetten wordt keystone correctie genoemd. ■ **Lens shift functie** Met deze functie kan het beeld van de projector van boven naar beneden verplaatst worden zonder vertekening van het geprojecteerde beeld.
■ **PC Card Viewer** Laat de laptop thuis: het is best mogelijk om de presentatie op te slaan op een geheugenkaart, die wordt gelezen door de ingebouwde PC-Card viewer.

PHILIPS

De nieuwe Philips plasmaschermen 420P30 en 500P30

De nieuwe generatie plasmaschermen: lichter, stiller, scherper, helderder en levendiger dan ooit. Met een hoge compatibiliteit en connectiviteit.

Dankzij Contrast reserve wordt de lichtopbrengst van de display intelligent verhoogd, terwijl de beeldinhoud stabiel blijft met een maximaal contrast en lichtopbrengst. Het is o.a. daardoor dat de Philips plasma's vaak worden bekroond door EISA (European Imaging and Sound Association).

420P30

- Resolutie: 1024x1024 pixels
- Beelddiagonaal (viewable area): 42" (522.3 (H) x 921.6 (B))
- Aspect ratio: 16:9
- Kleurweergave: 16.77 miljoen
- Inkijkhoek: meer dan 160°
- Contrast ratio: 400:1
- Helderheid: 700 cd/m²
- PC data inputs:
  data 1 (analoog) VGA in mini d-sub 15 pins
  data 2 (analoog) Flex VGA in mini d-sub 15 pins
  data 3 (digitiaal) DVI-D in 29 pins
- Signal outputs:
  1 x VGA out (Dsub 15) Smartport
- Video inputs:
  video 1: CVBS RCA (cinch)
  video 2: s-video (Y/C) DIN 4pin
  video 3: HD component; RGB+HV, YcbCr (sync on green), YpbPr (sync on green), RCA (cinch)
- Afmetingen in mm:
  657(H) x 1075 (B) x 89 (D)
- Gewicht: 34,5 kg

NEW



FACTS & FIGURES

Website: www.philips.be/pcp-partner
Partnr.: 420P30
Richtprijs: check met uw dealer



500P30

- Resolutie: XGA wide
  1365 x 768 pixels
- Beelddiagonaal (viewable area): 50" (1270 mm diagonal-622(H) x 1106(B)
- Aspect ratio: 16:9
- Inkijkhoek: meer dan 160°
- Contrast ratio: 1000:1
- Helderheid: 550 cd/m²
- PC data inputs:
  data 1 (analoog) VGA in mini d-sub 15 pins
  data 2 (analog) BNC (R,G,B,H,V) , ook voor HD bronnen
  data 3 (digitiaal) DVI-D in 29 pins
- Signal outputs:
  1 x VGA out (Dsub 15) Smartport
- Video inputs:
  video 1: Composite RCA (cinch)
  video 2: Composite BNC
  video 3: S-video (Y/C) DIN 4 pin
  video 4: HD component RCA (cinch), YpbPr, YcbCr
  video 5: HD component BNC: YPbPr, YCbPr, RGB+HV
- Afmetingen in mm:
  766 (H) x 1240 (B) x 107 (D)
- Gewicht: 44,5 kg

NEW



FACTS & FIGURES

Website: www.philips.be/pcp-partner
Partnr.: 500P30
Richtprijs: check met uw dealer



NEC

MultiSync® VT45 en LT220: quality made visible

VT45K
A projector for every room

Met de nieuwe VT45K projector brengt NEC de opvolger van de succesvolle VT45 op de markt: een verhoogde levensduur van de lamp en een gereduceerd werkingsgeluid maken van de VT45K de perfecte opvolger van de VT45.
De VT45K bevat zowel een horizontale én vertikale lens shift: de positie van het beeld kan hierdoor verschoven worden tot 1/3 van de breedte van het beeld en tot 1/4 van de hoogte van het beeld. Dit geeft meer flexibiliteit aan de gebruiker in de keuze waar zijn projector te installeren en te plaatsen. De mogelijkheid om de kleuren manueel aan te passen, maakt de VT45 uiterst geschikt voor home cinema gebruik.

- Lichtsterkte: 1000 ANSI-LUMEN
- LCD-projector
- Optimale resolutie: 800 x 600 (SVGA)
- Gewicht: 2,5 kg
- 2D lens shift functie
- Kleuren correctie (sRGB)
- 3 jaar garantie

NEW



FACTS & FIGURES

Artnr.: 778181
Partnr.: 50022196
Richtprijs: 2.663 EUR



WHY BUY?
- 2D Lens Shift: horizontaal én vertikaal
- Automatische Set-Up (AutoSense Technology)
- Exclusieve VORTEX Technology Plus: projectie van waarheidsgetrouwe kleurenbeelden en exceptionele helderheid

LT220
Real-time Wireless Data Transmission

De nieuwe LT220, is naast de LT240 en LT260 de eerste projector die uitgerust is met de 3D Lens Shift technologie. De 3D Lens Shift techologie geeft de gebruiker meer flexibiliteit bij het plaatsen van de projector daar zowel horizontale, vertikale én diagonale key-stone correctie mogelijk is. Door de short-throw lens kan de LT220 dicht bij het projectiescherm worden geplaatst. Hierdoor is de LT220 uiterst geschikt voor gebruik in kleinere klaslokalen en kleinere vergaderzalen. Het unieke design met de verbeterde afgesloten optical unit, maakt de inzet van de LT220 in rook- en stofrijke omgevingen uiterst geschikt en dit zonder de extra onderhoudskosten die meestal gepaard gaan bij de inzet van projectoren in dergelijke omgevingen.

- Lichtsterkte: 1800 ANSI-LUMEN
- DLP-projector
- Optimale resolutie : 1024 x 768 (XGA)
- Gewicht: 2,9 kg
- 3D lens shift functie
- Contrast Ratio: 500: 1
- Wired en Wireless LAN mogelijkheid
- 3 jaar garantie

NEW



FACTS & FIGURES

Artnr.: 780555
Partnr.: 50022350
Richtprijs: 4.369 EUR



WHY BUY?
- 3D Lens Shift: horizontaal, vertikaal èn diagonaal
- Wired en Wireless LAN mogelijkheid
- Ingebouwde PC Card Viewer: bewaar je slides op een CompactFlash kaart

EPSON

Epson introduceert multitainment op topniveau!

Met Epson's verbazingwekkende multimediaprojectoren beschikt u over de helderste, makkelijkst draagbare, meest compatibele en veelzijdige presentatie-oplossingen op dit moment. Of u nu thuis meer impact nodig heeft, presentaties moet houden in verschillende kantoren of conferentieruimtes over de hele wereld of een specifieke installatie bouwt, Epson heeft voor al uw eisen de passende projector.

DVD – VIDEO – PC – MAC – CAMCORDER – DC's – (HD)TV

DIG THIS!

TW-100: EISA-award



WHY BUY?
- Geavanceerde technologieën van Epson
- Verbluffende grootbeeldkwaliteit
- Eenvoudig te gebruiken en op te stellen
- Opmerkelijk stil en compact
- Vijf of zes kleurinstellingen voor uw persoonlijke voorkeur



EMP- mobiele projectoren

EMP-30: Home-entertainment compleet met cinema filter

De Epson EMP-30 is veelzijdig inzetbaar, zowel voor zakelijke presentaties, als voor privé-gebruik of voor educatieve doeleinden. Ideaal voor de beginnende gebruiker en als mobiele projector (2,9 kg).

- SVGA, 800 ANSI lumens
- Verticale keystone-correctie tot +/- 15°
- Nieuw type afstandsbediening in de vorm van een creditcard
- Levensduur lamp: 1500 uren (130W UHE–lamp)
- Garantie: 3 jaar carry-in

EMP-71: Hoogwaardige, mobiele, multimedia projector

Ideaal voor home-entertainment of mobiele business (3,1 kg). Eenvoudig te bedienen, compatibel met PC, DVD en high-definition-video multifunctionele afstandsbediening.

- XGA (SXGA met DAR-technologie), 1000 ANSI lumens
- Vertikale keystone-correctie tot +/- 15°
- Levensduur lamp: 1500 uren (160W UHE-lamp)
- Garantie: 3 jaar carry-in

EMP-thuisbioscoopprojectoren


EMP-TS10/TW100: Moderne thuisbioscoopprojectoren van hoge kwaliteit

Grootbeeld-entertainment bij u thuis. Buitengewone beeldkwaliteit voor projectie op een groot scherm. Geschikt voor verschillende toepassingen door 5 verschillende kleurinstellingen. Eenvoudig te gebruiken, stil en compact. Multi-functionele afstandsbediening. Compatibel met TV, DVD, video, PC en spelcomputers.

TS 10
- SVGA, - 700 ANSI lumens
- Verticale keystone-correctie: tot 30°
- Levensduur lamp : 3000 uren (150W UHE-lamp)

TW100
- W-XGA, 700 ANSI lumens
- Vertikale keystone-correctie: tot 15°
- Levensduur lamp: 3000 uren (150W UHE-lamp)

NEW



FACTS & FIGURES

EMP-30
Systeemvereisten: Win/Mac
Artnr.: 767623
Partnr.: V11H050040
Richtprijs: 1599 EUR
Recupel: 6,00 EUR
EPSON



FACTS & FIGURES

EMP-71
Systeemvereisten: Win/Mac
Artnr.: 722645
Partnr.: V11H060040
Richtprijs: 3327,50 EUR
Recupel: 6,00 EUR
EPSON



FACTS & FIGURES

TS 10
Systeemvereisten: Win/Mac
Artnr.: 738097
Partnr.: V11H105040
Richtprijs: 2896,70 EUR
Recupel: 6,00 EUR
EPSON



FACTS & FIGURES

TW100
Systeemvereisten: Win/Mac
Artnr.: 738098
Partnr.: V11H053040
Richtprijs: 5777,00 EUR
Recubel: 6,00 EUR
EPSON

SONY

Maak onmiddellijk afdrukken van uw digitale opnames, en zie uw creativiteit te voorschijn komen

Volg de transformatie van een digitale opname naar een afdruk op papier in een paar seconden. De Cybershot DSC-F717 en de DPP-EX5 van Sony bieden u uitstekende resultaten.

Spontane creativiteit:
De geavanceerde Cybershot DSC-F717 garandeert foto's van optimale kwaliteit. U kunt uw opnames gemakkelijk bekijken op het LCD-scherm en de foto's die u niet mooi vindt weer verwijderen. Dankzij de talloze geavanceerde fotofuncties kunt u in alle lichtomstandigheden perfecte precisiefoto's maken. Met deze camera maakt u 's nachts prachtige foto's dankzij de handige NightFraming functie. Het werkt als volgt: 1) Bij weinig licht activeert NightFraming automatisch de infrarood NightShot functie, waardoor uw onderwerp helder op het LCD scherm van de camera verschijnt. Zo kunt u moeiteloos in het donker uw compositie bepalen. 2) Vervolgens stelt de camera nauwkeurig scherp op het onderwerp met behulp van de Hologram AF technologie (NightShot wordt automatisch uitgeschakeld). 3) Als u de sluiterknop indrukt wordt via een voorflits het juiste flitsniveau bepaald. Daarna wordt de flitser geactiveerd en wordt de foto genomen. Het resultaat? Een uitstekend belichte, fraai gecomponeerde en scherpe foto! Ook de unieke roterende Carl Zeiss multihoeklens laat u toe om vanuit iedere hoek foto's te maken en de nieuwe handmatige zoomring biedt u extra controle over uw resultaten.

Een momentopname van uw vrienden en de bezigheden die hen zo speciaalmaken. Sony helpt u bij het beleven van al deze momenten met de Cybershot DSC-F717 fotocamera en de DPP-EX5 digitale fotoprinter. Plaats de Memorystick in de DPP-EX5 en kijk toe terwijl de printer foto's afdrukt die de realiteit perfect weergeven – uw leven in een handomdraai. Zo kunt u onmiddellijk genieten van scherpe en heldere afdrukken van al uw favoriete foto's, gewoon bij u thuis!

DIG THIS!

U wenst uw digitale opnames af te drukken?... Sony biedt u hier de oplossing



FACTS & FIGURES

Artnr.: 770963
Partnr.: DSC-F717
Richtprijs: 1.408 EUR
Recubel: 6 EUR

SONY

DSC-F717
- Geavanceerde 5.0Mega Pixel Cybershot
- 5x optical / 10x digital zoom
- Carl Zeiss multi angle lens
- Hot shoe
- NightFraming
- Burst mode
- AE Bracketing

WHY BUY?
- 5.0 Megapixels
- Carl Zeiss lens
- NightFraming: 's nachts neemt u perfect belichte, gecomponeerde en scherpe foto's
- AE Bracketing: er worden drie foto's tegelijk genomen met verschillende belichtings- instellingen, zodat u er de beste kunt uitkiezen.
- Accessoireschoen: voor de synchronisatie van standaard flitssystemen



FACTS & FIGURES

Artnr.: 780053
Partnr.: DPP-EX5
Richtprijs: 381 EUR
Recubel: 6 EUR

SONY

DPP-EX5
- Digitale fotoprinter met Memorystickslot en USB-connectiviteit
- Afdrukproces: Kleurstofsublimatie
- Fotokwaliteit: 3.8 Megapixels
- Connectiviteit: Video out, Memorystick, USB
- Afdrukformaat: 101,6x152,4mm/95,5x71,7mm/89x 127mm
- Creatieve afdruk
- Auto Fine afdruk
- Duurzame cacheerlaag
- Stijlvol design

WHY BUY?
- Eenvoudig in gebruik dankzij het Memorystickslot
- Stijlvol design
- Kleurstofsublimatie-bewerking...

BUZZWORDS

■ **Burst mode** Deze technologie maakt het mogelijk om twee of drie opeenvolgende foto's te nemen in een tijdsbestek van 0,6 seconde per foto. Ideaal om een beweging vast te leggen in meerdere beelden.
■ **USB-connectiviteit** (Universal Serial Bus) Standaard voor het aansluiten van allerlei zeer uiteenlopende apparatuur. In theorie is het bij een USB-poort mogelijk 128 randapparaten aan te sluiten op één connector. USB zorgt voor hoge datatransmissie tussen computer en randapparatuur, bijvoorbeeld van een digitale camera naar de computer.
■ **Memorystick** Een opnamemedium (Flash Memory) van Sony dat voornamelijk wordt gebruikt in foto/videocamera's en bijbehorende randapparatuur zoals de digitale fotolijst en fotoprinters. Een uiterst compacte stick waarop diverse digitale data kunnen worden opgeslagen. ■ **Hologram AF** Met Hologram Auto Focus is het mogelijk om scherpe foto's te nemen onder moeilijke lichtomstandigheden. De camera projecteert door middel van laserstralen rode lijnen op het te fotograferen project. Zo is er altijd een patroon aanwezig waarop de camera zich kan scherp stellen.

Met Nikon en Olympus haal je het beste uit elke situatie

NIKON Coolpix 5700

Grensverleggend. Creatief. Typisch Nikon.

De COOLPIX 5700, met zijn onvergelijkbare digitale kracht, optiek van wereldklasse en de veelzijdigheid van een werkelijk innovatief design, geeft u de zekerheid dat u eindelijk de perfecte digitale camera hebt gevonden. Gebruik de COOLPIX 5700 voor een totaal nieuwe beleving in digitale fotografie.

- Performant 8x zoom Nikkor objectief, plus 4x digitale tele
- 5 miljoen effectieve pixels
- 256-segmenten matrixmeting, spotmeting, centrumgerichte meting, spot AF veld meting
- Sluitersnelheden van 1/4000 tot 8 sec.
- Vijf-velden Multi-autofocus
- Macro-opnamen tot 3 cm, Best Shot Selectie
- Ingebouwde flitser en flitsschoen voor aansluiting van een externe flitser
- Elektronische zoeker en Vari-angle LCD
- Quick review functie
- Filmen met geluid



FACTS & FIGURES

Artnr.: 756398
Partnr.: 0018208899456
Richtprijs: 1699 EUR
Recubel: 6 EUR
Nikon

WHY BUY?
- CCD: 2/3 inch, totaal 5,24 miljoen pixels
- Systeem Tiff, RAW, JPEG ; Media CompactFlash (CF) kaart type I/II
- Body van magnesiumlegering
- Ruisonderdrukking

NIKON Coolpix 4500

Eindelijk je draai gevonden

Nooit eerder werd een draai-ontwerp zo succesvol toegepast. Nooit eerder bood een camera zo'n sterke combinatie van veelzijdigheid en snel gebruiksgemak. Hij is slank, hij is stijlvol, en hij volgt de manier waarop je wilt werken, vanuit elke hoek - hoog, laag of rechttoe - rechtaan vanaf de borst.

- Performant 4 x zoom Nikkor objectief, plus 4 x digitale zoom
- 4 miljoen effectieve pixels
- 5-velden multi autofocussysteem
- Sluitersnelheden vann 1/2300 tot 8 sec.
- 16 opnamestanden
- Ingebouwde pop-up flitser
- Instelbare kleurverzadiging
- Perspectiefcorrectie
- Small picture functie
- Gesproken memo



FACTS & FIGURES

Artnr.: 756397
Partnr.: 0018208899388
Richtprijs: 999 EUR
Recubel: 6 EUR
Nikon

WHY BUY?
- CCD: 1/1.8 inch, totaal 4,13 miljoen pixels
- TIFF-RGB, JPEG, Quick Time Motion ; Media CompactFlash (CF) kaart Type I/II
- Gemakkelijke transfer naar de computer
- Ruisonderdrukking
- 256-velden matrixmeting, centrumgerichte meting, spotmeting, spot/AF veldmeting

NIKON Coolpix 3500

Stijl en prestaties in een handomdraai

De COOLPIX 3500 is uitgerust met 3 miljoen effectieve pixels en een kantelbaar objectief, en is niet groter dan een GSM. Dankzij dit gebruiksvriendelijk en stijlvol toestel komt digitale fotografie een stap dichter bij een steeds groter wordend publiek.

- 3,2 miljoen effectieve pixels; beelden van 2048x1536 pixels
- Performant 3x zoom Nikkor objectief, 4x digitale zoom
- 12 scènemodi
- Minimum afstand van 4cm bij macro opname
- Helder 1.5-inch, 110.000 dot polysilicon TFT LCD scherm
- Automatische ruisonderdrukking voor kwalitatieve beelden bij tragere sluitersnelheden
- Small Picture functie creëert automatisch beelden geschikt voor e-mail of web
- Plug-and-play USB interface
- Transfer toets voor gemakkelijke transfer naar de computer



FACTS & FIGURES

Artnr.: 782929
Partnr.: 00182088999951
Richtprijs: 599 EUR
Recubel: 6 EUR
Nikon

WHY BUY?
- CCD: 1/2.7 inch, 3,34 miljoen pixels
- Objectief: 3x Zoom-Nikkor; f=5.6-16.8mm (37-111mm – 35mm equivalent) ; f/2.7-4.8
- JPEG en Quick Time Motion JPEG
- Langere levensduur batterij

OLYMPUS C-50 Zoom

Een opvallend uiterlijk, ultracompact en vijf megapixels!

De CAMEDIA C-50 ZOOM is niet alleen een camera die de kloof tussen ontwerp en prestaties definitief overbrugt, maar is ook de camera voor hen die dit alles nodig hebben: stijlvol, oogstrelend en extreem compact!

- 5,0 miljoen pixels effectief
- 1/1.8 inch CCD met 5.360.000 pixels
- Metalen body
- 3 x optische zoom, vergelijkbaar met 38 - 114 mm (kleinbeeld)
- Helder zoomobjectief f2.8-4.8
- 1 - 4 x, 5x digitale zoom (met VGA)
- P/ A/ S en 5 programmamodi
- Opslagsysteem: xD-Picture Card (van 16 tot 128 Mb)
- QuickTime motion JPEG
- USB AutoConnect



FACTS & FIGURES

Artnr.:779232
Partnr.: 0050332137967
Richtprijs: 949 EUR
Recubel: 6 EUR
OLYMPUS THE VISIBLE DIFFERENCE

WHY BUY?
- CCD: 1/1.8 inch, totaal 5,36 miljoen pixels
- Ingebouwde flits
- Beeldeffecten: Re-size, sepia, zwart/wit

OLYMPUS C-730 Ultra Zoom

Drie miljoen pixels en tot 30 x inzoomen

De compacte en lichtgewicht C-730 Ultra Zoom is uw ideale partner voor het fotograferen van sportevenementen en natuuropnames. De C-730 Ultra Zoom is de ideale camera voor de beginnende en gevorderde fotograaf, die gemakkelijk en snel wil fotograferen. Dankzij de automatische programma's en de mogelijkheid om de camera handmatig in te stellen, heeft de C-730 Ultra Zoom bijzonder veel mogelijkheden.

- 3,2 miljoen pixels
- Lichtsterk objectief F2.8-3.5
- 10 x Ultra Zoom, vergelijkbaar met 38-380mm kleinbeeld, 3x digitale telezoom
- SmartMedia en xD-Picture kaart
- Elektronische zoeker (0.44", 180.000 pixels), informatie belichting in zoeker
- P/ A/ S en manuele instellingen
- Histogram functie in opnamestand
- Super-macro (vanaf 3cm)
- QuickTime motion JPEG
- USB AutoConnect



FACTS & FIGURES

Artnr.: 779230
Partnr.: 0050332138537
Richtprijs: 799 EUR
Recubel: 6 EUR
OLYMPUS THE VISIBLE DIFFERENCE

WHY BUY?
- Audio/Video uitgang
- CCD: 1/2.7 inch, totaal 3,34 miljoen pixels
- Ingebouwde flits
- Beeldeffecten: sepia, zwart/wit, panorama

FUJI

Fuji Digital Cameras: heavyweight capabilities in compact bodies!

Discover Pure Digital Excitement

FinePix A204
- CCD resolutie: 2.11 mio pixels
- Zoom: 3 x optische zoom; 2,5 x digitale zoom
- Lens zoomfactor: 38 – 114 mm
- Focus afstand: Standaard: 80 cm – oneindig; Macro: 10 cm – 80 cm
- Memory type: xD-Picture Card
- Stroomvoorziening: 2 x AA alkaline/Ni-MH batterijen
- Movie Recording
- Garantie: 1 jaar carry-in





FACTS & FIGURES


Artnr.: 774340 - Partnr.: 45075
Richtprijs: 359 EUR
Recubel: 6 EUR



WHY BUY?
- Compact, stijlvol design
- Maakt gebruik van de nieuwe xD-Picture Card voor beeldopslag
- Laag energie verbruik
- Automatische exposure control, auto focus en auto white balance

FinePix F401
- CCD resolutie: 2.11 mio pixels; 4.0 mio pixels output
- Zoom: 3 x optische zoom; 3,6 x digitale zoom
- Lens zoomfactor: 38 – 114 mm
- Focus afstand: Standaard: 60 cm – oneindig; Macro: 10 cm – 80 cm
- Memory type: SmartMedia Card
- Stroomvoorziening: Herlaadbare Li-ion batterij NP-60
- Movie Recorder & Voice Recorder
- Garantie: 1 jaar carry-in






FACTS & FIGURES

Artnr.: 767115 - Partnr.: 44941
Richtprijs: 620 EUR
Recubel: 6 EUR



WHY BUY?
- 3de generatie Super CCD: 4.0 mio pixels output
- Uigebreide waaier van ISO settings: ISO 200, 400, 800 en 1600
- Optionele Picture Cradle voor het automatisch opladen van batterijen en downloaden van beelden

FinePix M603
- CCD resolutie: 3.3 mio pixels; 6.03 mio pixels output
- Zoom: 2 x optische zoom; 4,4 x digitale zoom
- Lens zoomfactor: 38 – 76 mm
- Focus afstand: Standaard: 60 cm – oneindig; Macro: 20 cm – 80 cm
- Memory type: xD-Picture Card / Compact Flash Card / Microdrive
- Stroomvoorziening: Herlaadbare Li-ion batterij NP-60, Herlaadbare Li-ion batterij NP-120
- Combinatie van digitale camera & video
- Garantie: 1 jaar carry-in





FACTS & FIGURES

Artnr.: 786189 - Partnr.: 45190
Richtprijs: 820 EUR
Recubel: 6 EUR




WHY BUY?
- 3de generatie Super CCD: 6.03 mio pixels output
- Uigebreide waaier van ISO settings: ISO 160, 200, 400, 800 en 1600
- Optionele Picture Cradle voor het automatisch opladen van batterijen en downloaden van beelden
- 2,5" LCD-monitor en makkelijke handgreep

hp

Klaar voor uw digitaal bad ... met hp.





FACTS & FIGURES

Artnr. NL/FR: 769382 – Partnr.: Q2192A#AC2
Streetprijs: 799 EUR
Recupel:6 EUR



Wat heb je vandaag als consument nodig om beelden te verwerken: scanner, digitale camera, (foto)printer & bijpassend papier. Natuurlijk wil je die beelden bewaren, liefst op dvd want dan ben je zeker van de kwaliteit. En wie verder denkt wil die ook projecteren. U merkt het, met hp zit je goed voor een puur digitale rit!

En die digitale rit beginnen we met de laatste nieuwste hp aanwinst: de hp photosmart 850 digital camera waar profesionele prestaties voorop staan:

- een 8x optische zoom (voor 35mm equivalent 37-300mm) en 7x digitale zoom
- mogelijkheid tot vele handmatige camera instellingen om net dat beetje extra uit je beeld te halen bv. belichting, ISO, sluitertijd & diafragma, witbalans,
- uiterst lichte bediening: slechts 388 gr (zonder 4 batterijen)
- niet alleen foto's kan je nemen, met de videoclip functie kan je tot 60 seconden video & geluid opnemen
- er wordt een 16MB Secure Digital kaart meegeleverd voor uiterst snelle toegangstijden
- hp photo & imaging software

Hierbij hoort zeker hp's ontwikkeling rond Instant Share Technologie. Deze houdt in dat tijdens het nemen van de foto's, je deze direct kan toewijzen aan één van je 15 favoriete bestemmingen: e-mailbestemmelingen – printer – website. Eens je de digitale camera verbindt met je pc … worden al je selecties automatisch uitgevoerd. Als dat geen eenvoud in gebruik is!

Vervolg p.10

hp

Klaar voor uw digitaal bad ... met hp.

(vervolg p9)



FACTS & FIGURES

Artnr. NL: 769431 - Q1605A#ACU
Artnr. FR: 769430 - Q1605A#ACS
Streetprijs: 499 EUR
Recupel: 2 EUR





FACTS & FIGURES

Artnr.: 768237
Partnr.: C9929A#UUR
Richtprijs: 389 EUR
Recupel: 2 EUR



WHY BUY?
- hp automatic 24sh photo feeder
- hp photo & imaging software met o.a. hp memories disk creator software
- eenvoud & duidelijkheid in gebruik: verschillende kaartslots, 5 direct-to scan toetsen
- dual scanning CCD
- geen warm-up time & USB 2.0 voor de hp scanjet 5500
- Een volledig op elkaar ingespeelde digital imaging oplossing

Om uw digitale beelden (en tekst ook) af te drukken heb je een printer nodig. En liefst niet zomaar een printer, een fotoprinter met functionaliteiten die elke foto enthousiasteling wel wil: perfecte printresultaten, eenvoud in werking, speciale fotolade, geen pc nodig, ...

Met de nieuwe hp photosmart 7550 heb je dat allemaal en nog zoveel meer:

- Dit toestel is voorzien van een kleuren LCD-scherm dat toelaat om o.a.: foto's te zien en te selecteren om af te drukken; kleur te wijzigen (sephia, antiek of zw/wi); toevoegen van kader, datum & tijd
- Je kan tot 7 kleuren gaan en dit zonder het wisselen van ook maar 1 cartridge: alle kleuren (= zwart, nr. 56 - 3-kleuren, nr. 57 & 3-kleuren foto, nr. 58) zitten standaard in het toestel.

Verdere algemene kenmerken:
- de ultieme levensechte fotokwaliteit dankzij hp photoret IV of alternatief tot 4800 geoptimaliseerde dpi op fotopapier (met 1200x1200 input data) en dit tot 1,2 miljoen (!) direct afdrukbare kleuren
- speciale extra foto papertray voor randloze afdrukken op 10x15 cm fotopapier
- direct foto printing vanop de hp digitale camera via de extra vooraan geplaatste USB-ingang of via de 4-kaarten slots (CompactFlash, SmartMedia, MemoryStick & Secure Digital)
- print annulatie toets, inktreserve systeem, automatische papierherkenning automatische cartridge alignment
- printsnelheid: tot 17 pag./min. in zw/wi tot 1,2 pag./min. voor 10x15cm foto
- geheugen: 16MB
- interface: 2x USB (voor- en achteraan)
- software zoals hp imaging & printing software & hp Memories Disk Creator software

Dit is dus een meer dan complete uitvoering, voor wie een mix van tekst & beelden wil afdrukken zonder ook maar één toegeving te willen doen aan het ultieme gebruiksgemak: direct zien van de genomen beelden, geen wisseling van cartridges, afzonderlijke foto tray, automatische papierherkenning ... en zoveel andere voordelen.

En scannen? Met de nieuwe hp scanjet 5500 haal je een wel heel bijzondere scanner in huis. Niet alleen bijzonder voor gewone A4 documenten maar zeker en vast voor foto's. Een echt toestel voor (re)productie.

- maakt gebruik van de dual scanning CCD, waardoor hij zowel heel snel in 600dpi mode kan werken voor bv. puur tekst scannings of in 2400dpi mode als kwaliteit primeert.
- dankzij de unieke automatic photo feeder, kunnen er 24 foto's (9x13 of 10x15cm) tegelijk verwerkt worden
- de nieuwe hp photo & imaging software met o.a. hp Memories Disk Creator software
- je hebt ook geen warm-up time meer: starttoest drukken en scannen maar.
- en natuurlijk haal je topspecs in huis tegen een wel heel betaalbare prijs.

Voor alle verdere details: zie de overzichtstabellen.

DIG THIS!

Met hp's photo & imaging software zit volgende software meegeleverd: hp memories disk creator. Wat dit doet? Stap voor stap uitleggen wat je moet doen om je eigen foto cd samen te stellen (incl. geluid!). Je dient dan wel over een cd-writer te beschikken om het uiteindelijke resultaat weg te schrijven. Als extra heb je ook de tool om je eigen cd-inserts te maken. Zo vind je steeds die leuke familie- of vakantiefoto's terug.

APPLE

De Mac: het centrum van je digitale wereld

Nooit eerder was een computer zo perfect afgestemd op de randapparatuur. Apple biedt je zowel de hard- als de software om naadloos te werken met bijvoorbeeld digitale camera's, videocamera's en projectoren. Zowel voor de thuis- als de professionele gebruiker.

Apple heeft duidelijk begrepen dat een computer een tool is om ons toe te laten ons creatief uit te leven. We vragen ons terecht af wat de computer voor ons kan doen.

Ten eerste moet je toestel uiterst betrouwbaar zijn. Wel, met een Mac mag je het alom bekende en gevreesde blauwe scherm dat je krijgt als je PC weer eens vast loopt, vergeten. Mac OS X 10.2, Apple nieuwste besturingssysteem is ongeëvenaard stabiel. Het is gebaseerd op UNIX en het geheugen is volledig beveiligd om programma-conflicten te voorkomen.



Ten tweede moet je in de digitale wereld altijd op je toestel kunnen rekenen. De Mac is de ontbrekende schakel in digitale muziek, fotografie en video. In een Mac zijn alle voorzieningen ingebouwd die je nodig hebt: USB, FireWire (ook bekend als IEEE1394 en i.link), Ethernet, een modem en zelfs een ingebouwde antenne. Bovendien bevat elke Mac ingebouwde besturingsbestanden voor vrijwel alle printers, joysticks, dv-camcorders, toetsenborden, opslagapparaten, digitale camera's, invoerapparaten, MP-3 spelers en gamepads. De vraag 'kan ik dit wel aansluiten op een Mac?' behoort definitief tot het verleden.

Dankzij de gratis meegeleverde programma's als iTunes, iMovie, iDVD en iPhoto wordt de verwerking van je digitale gegevens een fluitje van een cent. Sluit je camera of MP3-speler aan op je Mac en hij doet de rest. Hij importeert je gegevens in een knappe en uiterst gebruiksvriendelijke interface en laat je toe het ruw materiaal te bewerken op de manier zoals jij het wilt. Je vakantiefoto's omvormen tot een digitaal foto-album met bijbehorende sfeermuziek; je cd-collectie in MP3-formaat omzetten en afspeellijsten maken die perfect passen bij je stemming; je videomateriaal omtoveren in een echte film, compleet met soundtrack, titels en effecten. Tenslotte kan je ook je eigen foto's en films op een dvd branden (met de Apple SuperDrive). Uiteraard kan je diezelfde foto's ook op een fotoprinter afprinten of je film op groot scherm aan je vrienden tonen met een projector. Of maak zelf in een wip een website zodat je foto's de hele wereld rondgaan.

Ook voor de professionele gebruiker biedt Apple de perfecte oplossingen. Final Cut Pro is het enige betaalbare, professionele niet-lineaire videobewerkingsprogramma waarin je kan werken met het hele scala aan bewerkingsstructuren: SD, HD, offline, DV en film. Met DVD Studio Pro kan je op een eenvoudige manier professionele dvd's maken.

Het is duidelijk: een Mac is helemaal niet moeilijk om mee te werken. Integendeel, met een Mac ben je in een wip op het Internet, zelfs al ben je een computerleek. Daar vind je vertrouwde programma's terug als Internet Explorer en Entourage. Een van de talloze tools voor het internet is Quicktime dat speciaal ontworpen is voor het streamen van video. Uiteraard kan je op de Mac net zo gemakkelijk draadloos surfen, chatten en email lezen dankzij AirPort.

Standaarden zorgen ervoor dat je perfect kan samenwerken met pc's. Je kan bijvoorbeeld moeiteloos een verbinding maken met een pc-netwerk, waardoor je rechtstreeks bestanden kan uitwisselen en dezelfde randapparatuur kan gebruiken als alle pc-gebruikers in het netwerk.

Dankzij Office X kan je op Mac blijven werken met Word, Excel en PowerPoint met alle functies en toetsencombinaties die je kent. Meer nog: de Mac-versies bieden een aantal extra functies die uniek zijn voor de Mac. Alle Office documenten zijn volledig compatibel tussen Mac- en Windows-systemen.

Tot slot: bij het ontwerp van een Mac wordt met de grootste aandacht besteed aan alle ontwerpdetails en aan de gebruikersinterface. Het resultaat zijn ergonomische producten die in geen enkele huiskamer misstaan.



FACTS & FIGURES

iMac G4 800MHz 17" LCD
256MB/80GB/SuperDrive/GeForce4 MX
NL FR Azerty
Artnr.: 758184
Partnr.: M8812FN/A
Richtprijs: 2.660,73 EUR
Recupel: 2,48 EUR



WHY BUY?
- Perfecte afstemming hard- en software
- Totaaloplossing voor zowel thuis- als professionele gebruiker
- Ontbrekende schakel in digitale levensstijl
- Ongeëvenaard gebruiksgemak
- Elegant design



BUZZWORDS

■ **Airport** Geavanceerde draadloze netwerktechnologie waarmee je vanaf elk punt thuis of op kantoor het internet op kunt zonder kabel, extra telefoonlijn of ingewikkelde netwerkconfiguratie. Bovendien razendsnel (11 Mbps). ■ **FireWire** Eén van de snelste standaards aller tijden voor de aansluiting van Apple-randapparatuur. Ideaal voor multimedia-apparatuur, zoals videocamera's. ■ **Dual Scanning CCD** Als snelheid primeert (scannen van pure tekst bv.) kiest de scanner automatisch voor 600 dpi CCD. Als kwaliteit primeert (uitvergroten van een fotodetail bv.) kiest de scanner automatisch voor 2400 dpi CCD. Twee scanners in één toestel dus. ■ **Card Slot** Je hebt geen pc of mac meer nodig om digitale beelden af te drukken en te bekijken. Zet de printer aan, haal uit de digitale camera de geheugenkaart (CompactFlash, Sony Memory Stick, Secure Digital, Smartmedia), steek ze in de kaartlezer (Card Slot), selecteer de foto's en print.

WACOM

Cintiq: interactief werken, niet áchter maar óp het beeldscherm!

- Intuïtief en natuurlijk werken – direct op uw scherm. Met WACOM's gepatenteerde, drukgevoelige pen kunt u net zo gemakkelijk werken als op papier
- De werkomgeving van de toekomst – om productiever, creatiever en ergonomisch te kunnen werken
- Flexibel en compatibel – voor alle gangbare besturingssystemen en aansluitingen zowel met DVI en VGA als met USB of serieel
- Hoge productiviteit – met Cintiq werkt u direct op uw beeldscherm – sneller en beter
- Nog meer helderheid en een verbeterde invalshoek – voor nog meer comfort

Toepassingen

- Design en prepress – Cintiq is het digitale papier voor de perfecte coördinatie van de motoriek met de drukgevoelige, gepatenteerde WACOM pen
- Presentatie / opleiding – Cintiq is de perfecte tool voor moderne presentaties vol effect – navigeren en opmerkingen direct van het beeldscherm op de projector
- Video en audio – Cintiq voor complete interactiviteit. Samenstellen, aanpassen en controleren – interactief en snel, direct op het beeldscherm
- Opbouwen en construeren – Geef uw ontwerpen en planningen meer persoonlijkheid en werk sneller en natuurlijker.

Cintiq 15X:

- TFT actieve matrix 15" *
- tablet: 302 x 226 mm
- Resolution 0.05 mm per point
- Drukgevoelige, draadloze pen zonder batterijen

*Ook beschikbaar in 18" model



DIG THIS!

Het universitair Ziekenhuis van Bonn gebruikt de Interactive Pen Displays van WACOM om opmetingen te doen op hersen-scans van epilepsie patiënten. Met de WACOM interactieve pen diplay werken we zeker 30 % sneller!

WHY BUY?

- Hogere productiviteit
- Intuitief en natuurlijk werken
- Flexibel en compatibel
- Betaalbaar alternatief voor TFT monitor + tablet

FACTS & FIGURES

Systeemvereisten: Win 98, 2000, ME, XP, NT4 - SGI, Sun - Mac OS 8.51 of hoger, OS X
Artnr.: 695341 - Partnr.: PL-550
Richtprijs: 2.135 EUR



BELKIN

Fantastische nieuwe mogelijkheden voor videobewerking van Belkin!

Met de belkin USB Media Readers/Writer kunt u bestanden, beelden en muziek van uw digitale camera, pda, handheld of mp3-speler door middel van "drag-and-drop naar uw computer verplaatsen. U kunt het materiaal eventueel bewerken en de bestanden vervolgens op uw computer opslaan. Met doorvoersnelheden tot 12Mb/sec verplaatst u alles zo'n 40 maal sneller dan via een seriële poort. Deze reader/writer is weer een enorme stap vooruit door Belkin waardoor u nog meer plezier hebt van uw technische geavanceerde apparatuur.

Usb Media Reader/Writer voor Multimediacard en secure digital
Ondersteunt MultiMediaCard en Secure Digital technologie



FACTS & FIGURES

Systeemvereisten: USB Windows 98 SE of hoger/MAC OS 8.6 of hoger
Artnr.: 759334 - Partnr.: F5U143n
Richtprijs: 33,61 EUR



USB Media Reader/Writer voor SmartMedia
Ondersteunt: SmartMedia technologie




FACTS & FIGURES

Systeemvereisten: USB: Windows 98 SE of hoger/MAC OS 8.6 of hoger
Artnr.: 759333 - Partnr.: F5U141n
Richtprijs: 33,61 EUR



USB Media Reader/Writer voor CompactFlash
Ondersteunt Type I en Type II media



FACTS & FIGURES

Systeemvereisten: USB: Windows 98 SE of hoger/MAC OS 8.6 of hoger
Artnr.: 759332 - Partnr.: F5U140n
Richtprijs: 33,61 EUR



USB dual: Media Reader/Writer voor CompactFlash en SmartMedia
Ondersteunt CompactFlash cards type I en II en SmartMedia Cards



FACTS & FIGURES

Systeemvereisten: USB: Windows 98 SE of hoger/MAC OS 8.6 of hoger
Artnr.: 770308 - Partnr.: F5U142N
Richtprijs: 42,01 EUR



Geef uw computer nu de enorme snelheid van USB 2.0
Alles-in-één uitbreiding voor uw computer.

De Belkin Hi-Speed USB 2.0 Upgrade Set is de ideale oplossing voor het aansluiten van de nieuwste Hi-Speed en oudere low-speed USB-apparaten. De set bevat een Belkin Hi-Speed USB 2.0 2 poorts PCI-kaart, een Belkin Hi-Speed USB 2.0 4-poorts hub en een Belkin Hi-Speed USB 2.0 "Gold" aansluitkabel



FACTS & FIGURES

Artnr.: 764008 - Partnr.: F5U900df
Richtprijs: 84,03 EUR



WHY BUY?

- Voldoet gegarandeerd aan uw verwachtingen
- Vraagt nauwelijks ruimte op uw werkplek, is gemakkelijk bereikbaar en eenvoudig te gebruiken.
- Plug-and-play installatie; geen cd nodig
- Levenslange garantie
- Bestanden verplaatsen met 'drag-and-drop'

LOGITECH

Werken, spelen, communiceren

Laten we het maar eens hardop zeggen: helaas ontbreekt het computers vaak aan uitstraling en dynamiek. Desondanks kunt u met relatief eenvoudige middelen (veel) meer uit uw computer halen. Met de producten van Logitech bijvoorbeeld. Een nieuw tijdperk van navigatie en controle.

WHY BUY?
- Haal via eenvoudige middelen veel meer uit uw PC
- Voeg dynamische en uitstraling toe uw PC
- Draadloze vrijheid
- Zwart innovatief design
- Snelle, accurate en betrouwbaar gebruik.

Cordless presenter
Comfort en precisie: De krachtige draadloze controller voor presentaties die ervoor zorgt dat u zich op uw publiek concentreert en niet op uw computer.
- Garantie: 5 jaar



FACTS & FIGURES

Systeemvereisten:
USB: Windows 98,ME,2000, XP
Artnr.: 726903
Partnr.: 966167-0914
Richtprijs: 249,95 EUR



QuickCam cordless
Kom dichterbij: de revolutionaire nieuwe draadloze webcam met een bereik van 20 meter; inclusief software
- Videoresolutie: tot 640x480
  Fotoresolutie: tot 640x480
- Sensor: CMOS
- Microfoon + klikknop
- Videobewaking, webalbums, videomail, Super Gallery, Animaties, beeld en video-bewerking
- Garantie: 2 jaar



FACTS & FIGURES

Systeemvereisten: USB, Windows 98, ME,2000, XP
Artnr.: 758658
Partnr.: 961144-0914
Richtprijs: 249,95 EUR



QuickCam Pro 4000
De eersteklas webcam boordevol functies voor het maken van hoog-waardige foto's en video's; inclusief eersteklas software
- Videoresolutie: tot 640x480
  Fotoresolutie: tot 1280x960
- Sensor: VGA CCD
- Digitale zoom, microfoon, klikknop
- Garantie: 2 jaar



FACTS & FIGURES

Systeemvereisten: Systeemvereisten: USB, Windows 98, ME,2000, XP
Artnr.: 758708
Partnr.: 961239-0914
Richtprijs: 99,95 EUR



Pocket Digital Camera
De camera van creditcardformaat om overal foto's te nemen; kan tot 52 beelden vastleggen van 1,3 megapixels.
- Intern geheugen: 16MB
- Fotoresolutie tot 1280x960
- Sensor: VGA CMOS
- Garantie: 2 jaar



FACTS & FIGURES

Systeemvereisten: USB, Windows 98, ME,2000, XP
Artnr.: 743771
Partnr.: 961234-0914
Richtprijs: 179,95 EUR
Recubel: 6 EUR



KENSINGTON


Computerbeveiliging: laat je IT materiaal veilig achter

Stel je even voor, je hebt net een dure projector gekocht voor in uw presentatieruimte/woonruimte. Op een dag wenst u deze projector te gebruiken maar hij is verdwenen, enkel de kabels liggen er nog… Dit had u kunnen voorkomen met een kleine investering: de micro-saver: de kabel die je perfect kan gebruiken als afschrikmiddel.

Twin microsaver
- Beveiligd 2 items
- Compatibel: Oude en nieuwe notebooks, docking stations, projectoren, Plat screen,CPU's, scanners

Slim microsaver
- Beveiligt 1 item
- Compatibel: Oude en nieuwe notebooks, docking stations, projectoren, Plat screen,CPU's, scanners


Flylight
Geeft je dat beetje licht dat je nodig hebt bij je notebook bij een presen-tatie



FACTS & FIGURES

Twin microsaver
Artnr.: 726917
partnr.: 64025
Straatprijs: 83,49 EUR





FACTS & FIGURES

Slim microsaver
Artnr.: 678935
Partnr.: 64020
Straatprijs: 64,09 EUR





FACTS & FIGURES

Flylight
Artnr.: 597434
Partnr.: 62641
Straatprijs: 32,67 EUR



Op zoek naar een projectiescherm? Maak uw keuze

NOBO projectieschermen

Artnr	Code	Product	Street
770909	339-38868	Nobo Elektrisch Wand Projectiescherm 180x180cm	845,79 EUR
770910	339-38869	Nobo Elektrisch Wand Projectiescherm 200x200cm	930,49 EUR
770911	339-38870	Nobo Elektrisch Wand Projectiescherm 240x240cm	1.087,79 EUR
770912	339-38274	Statiefscherm 150x150cm - Standaard Matwit Projectiedoek	120,94 EUR
770913	1900032	Statiefscherm 180x180cm - Standaard Matwit Projectiedoek	163,35 EUR
770914	1900033	Statiefscherm 200x200cm - Standaard Matwit Projectiedoek	204,49 EUR
770915	339-38212	Statiefscherm 150x150cm - Hi-Gain Projectiedoek	192,39 EUR
770916	339-38213	Statiefscherm 180x180cm - Hi-Gain Projectiedoek	216,59 EUR
770917	339-38389	Wandscherm 150x150cm - Standaard Matwit Projectiedoek	108,84 EUR
770918	339-38390	Wandscherm 180x180cm - Standaard Matwit Projectiedoek	120,94 EUR
770919	339-38214	Wandscherm 200x200cm - Standaard Matwit Projectiedoek	156,09 EUR
770920	1900036	Statiefscherm 150x150cm - Hi-Gain Projectiedoek	139,15 EUR
770920	1900036	Statiefscherm 180x180cm - Hi-Gain Projectiedoek	168,19 EUR



WHY BUY?
- Het stelen van computermateriaal stijgt
- Levenslange garantie
- Sterk, gepateneerd T-balkmechanisme
- Fysiek afschrikmiddel
- Kwalitatief projectiescherm

JASC

Photo Power Suite

Dé volledige oplossing voor digitale fotografie!

Wereldwijd was de verkoop van digitale camera's in 2001 goed voor 21% van de totale verkoop van camera's. De prognose voor de Europese markt toont een snelle groei, waarbij Japan als tweede markt voor digitale camera's uiteindelijk zal worden gepasseerd.

De digitale foto is slechts het begin. Met Photo Power Suite van Jasc software biedt u uw klant dé volledige oplossing om de mogelijkheden van digitale fotografie ten volle te benutten. Deze gelimiteerde editie, bestaande uit drie uitmuntende producten, geven de veeleisende digitale camera gebruiker alle middelen om hun foto's te beheren, te verbeteren en te delen met anderen. Met de komende feestdagen binnen handbereik en de digitale camera bovenaan vele verlanglijsten, is nú het juiste moment daar om voordeel te halen uit dit aanbod van Jasc.

Minimale configuratie
- Pentium® processor of gelijkwaardig Windows® 95/98/NT4/2000/ME
- 32 MB RAM-geheugen
- Cd-romstation
- 75 MB schijfruimte
- Beeldschermadapter die 256 kleuren kan weergeven met een resolutie van 800x600

Aanbevolen configuratie
- 500 MHz processor of sneller
- 128 MB RAM-geheugen
- Beeldschermadapter die 32-bits kleuren kan weergeven met een resolutie van 1024x768



FACTS & FIGURES

Voor gebruik in combinatie met Windows® 95/98/NT4/2000/ME/XP
NL: Artnr.:783911
Richtprijs: 169,00 EUR
FR: Artnr.:784627
Richtprijs: 169,00 EUR



WHY BUY?
- 3 unieke pakketten, tezamen in 1 fantastische bundel,
- Foto's, webafbeeldingen, afbeeldingen en animaties,
- Gereedschappen waar profs gek op zijn: retoucheren, klonen, collages en panorama's,
- Foto's organiseren, bijwerken, delen en verzenden
- Verander uw favoriete digitale foto's in realistisch-ogende schilderijen.

MICROSOFT

Picture It! Digital Image Pro



Met Picture It! Digital Image Pro bepaal jij zelf hoe je foto's er zullen uitzien, dankzij een unieke combinatie van krachtige digitale beeldvormingstools en fotoprojecten van een professionele kwaliteit. Picture It! biedt geavanceerde hulpmiddelen om digitale beelden op maat te maken.

In Picture It! Digital Image Pro gaan geavanceerde fotofuncties hand in hand met een extreem gebruiksgemak. De krachtige tools voor fotobewerking leveren professionele resultaten, terwijl de handige wizards en uitgebreide functies de creativiteit van de gebruiker verder opdrijven. Digital Image Pro biedt tevens een verzameling van meer dan 5.000 beelden en 3.000 fotoprojecten om uit te kiezen, met onder meer kalenders, plakboeken, fotoalbums, uitnodigingen, postkaarten en wenskaarten. Gebruikers kunnen Picture It! Digital Image Pro aanwenden om in een handomdraai professioneel ogende foto's en documenten te maken en kunnen daarbij profiteren van een serie creativiteitsbevorderende tools en controlefuncties.

FACTS & FIGURES

Systeemvereisten: Microsoft Windows 98, Me, 2000 of XP, 64 MB RAM (128 aanbevolen), 250 MB HD

Engelse versie:
Artnr.: 760467
Partnr.: L68-00003
Richtprijs: 89,99 EUR

Franse versie:
Artnr.: 755433
Partnr.: L68-00004
Richtprijs: 94,99 EUR

Microsoft®


WHY BUY?
- Krachtige digitale beeldvormingstools
- Verbeterd gebruiksgemak
- Met Photo Templates en Projects ga je creatief aan de slag als een echte prof.
- Ondersteuning Adobe Photoshop Plug-in Filters
- Compatibel met de meeste digitale camera's, scanners, printers en opslagdevices, JPG, MIX, PNG, TIF, BMP, GIF, FPX en talloze andere bestandsindelingen voor beelden



■ **PDF-document** (Portable Document Format). Bestandsformaat van Adobe Acrobat, ontwikkeld met de bedoeling een standaardformaat voor documenten op internet te krijgen. Kenmerk is dat PDF-bestanden niet zomaar in een tekstverwerker geladen kunnen worden. ■ **SVGA-monitor** (Super VGA.) Aanduiding voor iedere pc of monitor die meer kan dan 640x480 beeldpunten weergeven in 16 kleuren. Geen echte standaard, dus om er mee te werken heeft u u een stuurprogramma nodig.

ADOBE

Adobe Photoshop 7.0



De standaard voor professionele beeldbewerking

Met Adobe Photoshop 7.0, de standaard voor professionele beeldbewerking, kunt u efficiënter werken, uw creatieve grenzen verleggen en afbeeldingen van hoge kwaliteit produceren voor afdrukken, het web en voor andere doeleinden. Maak uitzonderlijk goede afbeeldingen dankzij de eenvoudige toegang tot bestandsgegevens, het gestroomlijnde webontwerp, de snelle professionele technieken voor het retoucheren van foto's en nog veel meer.

Windows
- Intel® Pentium®-processor, klasse III of 4
- Microsoft® Windows® 98, Windows 98 Second Edition, Windows Millennium Edition, Windows NT met Service Pack 6a, Windows 2000 met Service Pack 2 of Windows XP (V.S.)
- 128 MB RAM (192 MB wordt aanbevolen)
- 280 MB beschikbare ruimte op de vaste schijf
- Videokaart met 800 x 600 resolutie en 16-bits kleurenweergave of hoger

Macintosh
- PowerPC®-processor (G3, G4 of G4 tweevoudig)
- Mac OS-softwareversie 9.1, 9.2 of Mac OS X versie 10.1.3
- 128 MB RAM (192 MB wordt aanbevolen)
- 320 MB beschikbare ruimte op de vaste schijf
- Videokaart met 800 x 600 resolutie en 16-bits kleurenweergave of hoger



WHY BUY?
- Met het Retoucheerpenseel kunt u zonder enige moeite onvolkomenheden zoals stof, krassen, rimpels en vlekjes verwijderen, terwijl de schaduwen, de belichting en de structuur behouden blijven.
- Verbeterde functies voor webuitvoer, u kunt transparantie nu heel eenvoudig geheel of gedeeltelijk toepassen op elementen op webpagina's, zodat u randen kunt produceren die naadloos overgaan in webachtergronden.
- Een nieuw tekenengine voor het simuleren van traditionele schildertechnieken.
- Bescherm uw afbeeldingen met behulp van de met een wachtwoord beveiligde toegang tot Photoshop PDF-bestanden.
- Volledig compatibel met Mac OS 9 en ondersteuning voor de meest recente versies van Mac OS X en Microsoft® Windows® XP.

Ondersteunt Mac OS X

Artnr.	Omschrijving	Richtprijs (incl. BTW)
727078	Photoshop for Mac 7.0 UK	918,39 EUR
727321	Photoshop for Mac 7.0 FR	1.208,79 EUR
732174	Photoshop for Mac 7.0 NL	1.208,79 EUR
727079	Photoshop Windows 7.0 UK	918,39 EUR
727339	Photoshop Windows 7.0 FR	1.208,79 EUR
732176	Photoshop Windows 7.0 NL	1.208,79 EUR

SCANSOFT

OmniPage Pro 12 Office



WHY BUY?
- Grote hoeveelheden documenten verwerken
- Doorzoekbare PDF-archieven creëren
- PDF-bestanden converteren en bewerken
- Volledige controle over uw documenten op een eenvoudige manier
- Tijd besparen door herkenning van juridische en medische termen
- Razendsnel XML-documenten creëren
- Meerdere talen herkennen

Papieren documenten en PDF-bestanden razendsnel converteren naar documenten die u kunt bewerken en verspreiden.

OmniPage Pro 12 Office is een krachtige toepassing waarmee u snel uw productiviteit aanzienlijk verhoogt. Papieren documenten en PDF-documenten - brieven, contracten, tabellen, handleidingen - worden in een handomdraai omgezet in bestanden die u in een tekstverwerkings- of spreadsheetprogramma kunt bewerken. Het converteren, aanpassen, verwerken en verspreiden van papieren documenten en PDF-documenten is een fluitje van een cent voor OmniPage Pro 12 Office. Ideaal voor desktopgebruikers, werkgroepen en bedrijven.

Artnr.	Omschrijving	Richtprijs (incl. BTW)
772120	OmniPage Pro Office v12 UK	757 EUR
772119	OmniPage Pro Office v12 FR	757 EUR
772118	OmniPage Pro Office v12 NL	757 EUR
772123	UpOmniPage Pro vx>12 Office UK	288 EUR
772122	UpOmniPage Pro vx>12 Office FR	288 EUR
772121	UpOmniPage Pro vx>12 Office NL	288 EUR
770468	UpOmniPage Pro vx>12 Std UK	176 EUR
772125	UpOmniPage Pro vx>12 Std FR	176 EUR
772124	UpOmniPage Pro vx>12 Std NL	176 EUR



Systeemvereisten
- Intel® Pentium®-processor of gelijkwaardig
- 64 MB RAM, 128 MB aanbevolen
- 135 MB vrije ruimte op de harde schijf
- 5 MB voor Microsoft® Installer (MSI)
- SVGA-monitor met 256 kleuren en een resolutie van 800 x 600 pixels
- Cd-romstation voor installatie
- Compatibele scanner
- Windows® 98SE, 2000, Me, XP of Windows NT® 4.0, SP 6.0 of hoger




BUZZWORDS


■ **Schermresolutie** Een term om de kwaliteit en scherpte van het beeld uit te drukken. De resolutie geeft het aantal pixels (puntjes) op het scherm weer. Hoe hoger de resolutie, hoe meer beeldoppervlak u heeft. De standaard resolutie is nog steeds 640 x 480, dus 640 pixels breed en 480 pixels lang. Voor moderne toepassingen is dit te weinig. Hogere resoluties zijn bijvoorbeeld 800 x 600 (SVGA) of 1024 x 768 (XGA) en 1280 x 1024 (SXGA). Als u zo'n resolutie 'draait', heeft u minstens een 15 inch scherm nodig, omdat anders het detail te veel verloren gaat.
■ **RAM-geheugen** (Random Access Memory), het geheugen dat een computer ter beschikking heeft.


OVERVIEW

	 EPSON	 CANON	 SONY	 NEC
MODEL	**EMP-30**	**LV-S2**	**VPL-HS2**	**VT45K**
PRICE EUR*	**1.599 EUR**	**2.292,95 EUR**	**2.545 EUR**	**2.663 EUR**
ARTNR.	767623	789129	780987	778181
PARTNR	V11H050040	8126A003	VPL-HS2	50022196
TECHNOLOGY	Polysilicon TFT active matrix	LCD	WVGA	3 x 0,7 inch p-Si LCD-panel
BRIGHTNESS	800 ANSI Lumens	1000 ANSI lumens	1000 ANSI lumen	1000 ANSI-LUMEN
LAMP	130W Ultra High Efficiency lamp	150W UHP	150W UHP	135 W NSH Lamp
LENS	Manual focus, electronic zoom F = 16,6mm	19:01 (100”: 2.8m 1.4x)		Manual Lens Shift, Manual zoom/focus F 2.0-2.2 mm ; f=26.7-29.3 mm
CONTRAST RATIO	400:1	350:1	600:1	300:1
MAXIMUM RESOLUTION	SVGA	SVGA	858x484 WVGA	1280 x 1024
RECOMMENDED RESOLUTION	800 x 600	SVGA		800 x 600 (SVGA)
IMAGE SIZE	26” to 300”	29” to 200”	40”-150”	25 to 300 inches diagonal
WEIGHT	2,9 kg	2,8 kg	4,5kg	2,5 kg
FAN NOISE	35dB	35 dB	30dB	< 38 dB; 37dB Eco1-mode 36dB Eco2-mode”
POWER CONSUMPTION	190W (6W at standby mode) ; 100-240V 2.2-1.0A, 50/60Hz	250 W	200W	185 W (max)
VIDEO INPUTS	S-video : 1 x 4 polig Mini DIN, Composit video: 1 x RCA, Mini D-sub 15PINx1	Video en S-Video signals, such as an S-VHS VCR output signals	Video in , S-video-in, Component, RGB-Computer	RGB : VGA, SVGA, XGA, SXGA Video : NTSC, NTSC 4.43, PAL, PAL-60, PAL-M, PAL-N, SECAM Component : 480i, 480p, 720p, 1080i, DTV/HDTV (option),YCbCr (option)
PLATFORM	PC & Mac	PC & Mac	Windows, Mac	PC & Mac
WARRANTY	3 year carry-in	one year standard	1 year carry-in	3 years warranty
WEBSITE	www.epson.be	www.canon.be	www.sony.be	www.nec-pj.com
PACKAGE CONTENTS	Cinema filter,Component video cable, power cable,VGA cable, remote control incl batteries, manuals, softcase	LV-S2 Multimedia Projector, SVGA, 1000 ANSI lumens (delivered with : remote control unit & AA alkaline batteries, AC cable,	remote, cable, Cinama Filter	VT45GK, User’s Manual, Full Remote, Batteries, Power Cable, 15-pin mini D-Sub Cable, Carrying Case, Quick Connect Guide, Registration Card, Lens Cap with attachment string, Non-slip rubber pads, Protective Lens Pad
WHY BUY?	***1. Home entertainment complete with cinema filter 2. New card type remote control 3. Lightweight***	***1. Quiet, compact, versatile 2. Easy to set up 3. Stylish design***	***Unique, interior-conscious design -Low fan noise - Side Shot 2 - Cineza***	***1. 2D Lens Shift : vertically and horizontally 2. Automatic Set-Up (AutoSense technology) 3. Exclusive VORTEX Technology Plus : display of images with natural colors and exceptional clarity***


	 CANON	 EPSON	 hp	 PHILIPS
MODEL	**LV-X2**	**EMP-TS10**	**mp1200**	**cBright SV2**
PRICE EUR*	**3.158,10 EUR**	**2.896,70 EUR**	**2.904 EUR**	**3.144,79 EUR**
ARTNR.	789116	738097	782589	706802
PARTNR	8125A003	V11H105040	L1547A	LC4431
TECHNOLOGY	LCD	3 x polysilicon TFT Extended High Aperture 0.9” LCD panels	LCD/XGA	LCD/SVGA
BRIGHTNESS	1100 ANSI lumens	700 ANSI Lumens	1000 Lumens	1800 ANSI lumen
LAMP	132 W UHP	150W UHE Lamp	130W	200W UHP
LENS	19:01 (100”: 2.8m 1.4x)	Manual adjustment	F/1.73-2.17 - f=7.8-4.92mm	F1.7 - 2.1 ; f=36,8 - 47,8 mm 1.3x manual zoom / focus
CONTRAST RATIO	300:1	500:1	400:1	350:1
MAXIMUM RESOLUTION	XGA	SVGA	XGA	1024x768 SXGA
RECOMMENDED RESOLUTION	XGA	800 x 600		SVGA 800x600
IMAGE SIZE	29” to 200”	30” to 300”	Minimum Image Diagonal: 0,7m Maximum Image Diagonal: 3,8m	Minimum Image Diagonal: 20” Maximum Image Diagonal: 300”
WEIGHT	2,8 kg	4,2 kg	3 kg	3,6 kg
FAN NOISE	37dB	31 dBA	36dB (normal mode)	37 dB
POWER CONSUMPTION	210 W	100-120V 2.7-1.3A 50/60Hz	200W/Standby 15W	250 W / 5 W standby
VIDEO INPUTS	1 mini jack, Video en S-Video signals, such as an S-VHS VCR output signals, 3 RCA	Composite Video: RCA x 1-Component Video: Mini D-sub 15 PINX1.-S Video: Mini DIN x 1	VGA, DVI, S-video, HDTV & component video	S-video/S-VHS (Y/C), Component video input (RGB-Y,YCbCr,YPbPr), HDTVReadyTM-HDTV video input (480p, 720p, 1080i)
PLATFORM	PC & Mac	PC & Mac	Windows, MAC	Windows, Mac
WARRANTY	one year standard	3 year carry-in	2 year pick-up & return	3 years 1 year on-site
WEBSITE	www.canon.be	www.epson.be	www.hp.be	www.philips.be/pcp-partner
PACKAGE CONTENTS	LV-X2 Multimedia Projector, XGA (delivered with : remote control unit & AA alkaline batteries, AC cable,	Streamcable 3 m, remote control incl batteries, manual, video and-audiocable, component video cable : 3RCA-HD15		Laser pointer remote control, Power cord, Combined VGA-USB cable (2m), Audio/Video cable (2m), S-video cable (2m), Audio converter plug (3.5mm stereo jack to 2x RCA), Scart adapter (scart to RCA audio/video), Soft carrying bag, Lenscap, CD-ROM User Guide, Quick Setup Card
WHY BUY?	***1. Quiet, compact, versatile 2. Easy to set up 3. Stylish design***	***1. Horizontal & vertical keystone correction for uniform projection at any angle 2. Five colour settings 3. Easy to use and setup***	***1. one of the best value XGA projectors in the industry 2. easy multimedia integration 3. crisp images at a throw distance up to 10m***	***1. ideal solution for conferences, training sessions and in hotels***


*streetprice incl VAT, excl Recupel






	PHILIPS	SONY	PHILIPS	PHILIPS
MODEL	**Garbo**	**VPL-CS5**	**b-Sure SV1**	**UGO s - lite impact**
PRICE EUR*	**2.699 EUR**	**2.776 EUR**	**2.781,79 EUR**	**2.843,5 EUR**
ARTNR.	770575	763842	749994	727235
PARTNR	LC6231	VPL-CS5	LC 3131	LC5231
TECHNOLOGY	LCD/SVGA	3 x 0,7 inch p-Si TFT LCD Panel	LCD/SVGA	DLP/SVGA
BRIGHTNESS	1000 ANSI Lumen	1800 ANSI-LUMEN	1200 ANSI lumen	1000 ANSI lumen
LAMP	132 UHP, lamp life cycle 6000 hrs	165 W UHP Lamp	132W UHP, life cycle 6000 hours	130 W UHP
LENS	F/1.8-2.2; f=28.4-34mm	1.2 times manual zoom lens F 1.8 to 2.5, f28.2 to 33.8 mm	F/1.8-2.2; f=28.4-34 mm 1.2x manual zoom/focus	F2.4-2.6; f= 28-33 mm 1.2x manual zoom/ focus
CONTRAST RATIO	400:1	300:1	300:01:00	650:1
MAXIMUM RESOLUTION	1024x768 SXGA	XGA (1024 x 768)	1280 x 1024 SXGA	1280x1024 SXGA
RECOMMENDED RESOLUTION	SXGA 858x484	SVGA (800 x 600)	SVGA 800 x 600	SVGA 800x600
IMAGE SIZE		1m to 3.8m (viewable area, measured diagonally)	Minimum image diagonal: 27,5" Maximum image diagonal: 250"	Minimum Image Diagonal: 25 cm Maximum Image Diagonal: 200 cm
WEIGHT	3,7 kg	2,7 kg	3,7 kg	1,5 kg
FAN NOISE	27 dB	42 dB / 38 dB (low)	27dB	39dB
POWER CONSUMPTION	170 W / standby 5W	Max. 240W, Standby 5W	170W/ standby 5W	180 W
VIDEO INPUTS	Video NTSC 3.58, 4.43; PAL N, M, B/G; SECAM, S-video/S-VHS (Y/C), Component video input (RGB-Y, YUV, YPbPr) S-video, PAL 4.43, PAL 3.58, NTSC 4.43, NTSC 3.58, SECAM, HDTV	Video (PAL, SECAM, NTSC, NTSC 4.43, PAL-M, PAL-N), RGB/Component, Y/C Video, Composite Video, USB type B	1x S-video (YC-Din), 1x CVBS (RCA-cinch), component video (3x xRCA cinch), 1 x audio in (2 x RCA cinch) PAL 4.43, Pal 3.58, NTSC 4.43, NTSC 3.58, Secam, HDTV	S-Video (Y/C DIN)/Video (RCA)/ Stereo Audio (2x RCA)/ YCbCr (15 pin)
PLATFORM	Windows, Mac	PC & Mac	Windows, MAC	Windows, MAC
WARRANTY	3 years 1 year on-site	2 year warranty	3 years 1 year on-site	3 years 1 year on-site
WEBSITE	www.philips.be/pcp-partner	www.sonypresentations.com	www.philips.be/pcp-partner	www.philips.be/pcp-partner
PACKAGE CONTENTS	Compact remote control - Power cord - VGA cable (2m) - Audio/Video cable (2m) - S-Video cable (2m) - Scart adapter (scart to RCA audio/video) - Lenscap - Printed User Guide and CD-ROM User Guide (UK, D, F, E, PT, NL, I). with projection Assistent - Quick Setup Card (UK, D, F, E, PT, NL, I) - Warranty card - Optional accessories 132W UHPTM replacement lamp (LCA3116/00) - Softbag (LCA 1120/00) - Ceiling mount (LCA2211/00) - VGA extension cable, 15 metres (LCA5300/00) - Scart/RCA component video LCA 5312/00 adapter	VPL-CS5, Remote Commander RM-PJM12, AA-size Battery X 2, Signal Cable (HD D-sub 15pin to D-sub 15pin, 2m), USB Cable (A type to B type, 2m), Air filter, AC Power Cord, Carry Case, Operation Manual, Quick Reference Sheet	Compact remote control, Power cord, Combined VGA-USB table (1.5m), Audio/Video cable (2m), Scart adapter (scart to RCA audio/video), Lenscap, CD-rom user guide, Quick Setup card, warranty card	Remote Control + 2x AAA batteries, Power cord (1,8m) (2 cords, Continental Europe and USA), VGA Cable (1m), PC Audio cable, Mouse cable set; 1m, PS/2 ; 1m, USB, Audio/Video RCA Cable (1m,Video/Audio stereo), S-Video cable (1m), Soft carrying bag, User Guide (CD-Rom, Quick Reference Guide)
WHY BUY?	***1. Home cinema projector 2. with real 16:9 panels 3. Supersilent <27 dB 4. Lamp life cycle of 6000 hours***	***1. Easy to use : Intelligent Auto Setup, Tilt Adjustment, Keystone Adjustment and Input Selection are all done automatically 2. Brighter : 1800 ANSI-LUMEN 3. Lighter : 2,7 kg***	***1. Most silent projector, < 27dB 2. Suitable for education and meeting rooms 3. Protected with SecurityMax 4. long lifecycle lamp: 6000 hours***	***1. high contrast ratio 650:1 2. ultra light - only 1,5 kg***




	EPSON	NEC	PHILIPS	PHILIPS
MODEL	**EMP-71**	**VT440**	**b-Sure XG1**	**cBright XG2+**
PRICE EUR*	**3.327,50 EUR**	**3.359 EUR**	**3.386,79 EUR**	**3.447,29 EUR**
ARTNR.	722645	584171	749995	753618
PARTNR	V11H060040	50020122	LC 3141	LC4441
TECHNOLOGY	3 x polysilicon TFT Extended High Aperture 0.7" 'Dream 2' LCD panels	3 x 0,9 inch p-Si LCD-panel	LCD/XGA	LCD/XGA
BRIGHTNESS	1000 ANSI Lumens	1100 ANSI-LUMEN	1200 ANSI lumen	1500 ANSI lumen
LAMP	160W UHP Lamp	160 W NSH Lamp	150W UHP	200W UHP
LENS	Manual adjustment	Manual zoom, Manual focus F 2.0-2.3 mm ; f=35.8-43 mm	F1.8 - 2.2 f=28.4 - 34 1.2x manual zoom/focus	F1.7 - 2.1 ; f=36,8 - 47,8 mm 1.3x manual zoom / focus
CONTRAST RATIO	300:1	400:1	300:01:00	300:1
MAXIMUM RESOLUTION	XGA	1600 x 1200 (UXGA)	1280 x 1025 (SXGA)	1024x768 SXGA
RECOMMENDED RESOLUTION	1024 X 768	800 x 600 (SVGA)	XGA 1024 x 768	XGA 1024x768
IMAGE SIZE	28" to 300"	0,6 - 7,6 m diagonal	Minimum image diagonal: 27,5" Maximum image diagonal: 250"	Minimum Image Diagonal: 20" Maximum Image Diagonal: 300"
WEIGHT	3.1 kg	3,9 kg	3,7 kg	3,6 kg
FAN NOISE	42 dBA	< 38 dB (A) < 35dB (A) ECO-mode"	29dB	37 dB
POWER CONSUMPTION	100-120V, 2.4A 60/60Hz 200/240V	240 W	210W/standby 5W	250 W / 5 W standby
VIDEO INPUTS	RCA Jack.-Supports NTSC, PAL, SECAM, NTSC 4.43, M-PAL, N-PAL, PAL60	PAL/PAL 60/NTSC/SECAM/NTSC 4.43	1x S-video (YC-Din), 1x CVBS (RCA-cinch), component video (3x xRCA cinch), 1 x audio in (2 x RCA cinch) PAL 4.43, Pal 3.58, NTSC 4.43, NTSC 3.58, Secam, HDTV	S-video/S-VHS (Y/C), Component video input (RGB-Y,YCbCr,YPbPr), HDTVReadyTM-HDTV video input (480p, 720p, 1080i)
PLATFORM	PC & Mac	PC & Mac	Windows, MAC	Windows, Mac
WARRANTY	3 year carry-in	3 years warranty	3 years 1 year on-site	3 years 1 year on-site
WEBSITE	www.epson.be	www.nec-pj.com	www.philips.be/pcp-partner	www.philips.be/pcp-partner
PACKAGE CONTENTS	Softcase, remote controle incl. batteries, streamcable, VGA-computercable 1,8 m, video/audiocable, PS/2-mousecable, macintosh-mousecable, remote controle manual	VT440, Remote Control, Mini D-sub Signal Cable, Power Cord, Lens Cap, Softcase, Usersd Manual, Macintosh adapter	Compact remote control, Power cord, Combined VGA-USB table (1.5m), Audio/Video cable (2m), Scart adapter (scart to RCA audio/video), Lenscap, CD-rom user guide, Quick Setup card, warranty card	Laser pointer remote control, Power cord, Combined VGA-USB cable (2m), Audio/Video cable (2m), S-video cable (2m), Audio converter plug (3.5mm stereo jack to 2x RCA), Scart adapter (scart to RCA audio/video), Soft carrying bag, Lenscap, CD-ROM User Guide, Quick Setup Card
WHY BUY?	***1. Mobile projector (only 3,1 kg) 2. Epson Dream 2 LCD panels -> better brightness 3. Remote control with pre-programmed special effects***	***1. Digital Zoom up to 400% 2. Keystone Correction up to +/- 15° with Advanced AccuBlend technology 3. Remote Control in Credit Card Size with pointer***	***1. Most silent projector, < 27dB 2. Suitable for education and meeting rooms 3. Protected with SecurityMax***	***1. ideal solution for conferences, training sessions and in hotels***

				
	CANON	**hp**	**PHILIPS**	**PHILIPS**
MODEL	**LV-7350**	**sb21**	**UGO x - lite impact**	**cBright XG2 Impact+**
PRICE EUR*	**4.495,15 EUR**	**3.751 EUR** + 6 EUR Recupel	**3.811,5 EUR**	**3.991,79 EUR**
ARTNR.	775700	773064	733665	706808
PARTNR	8128A003	L1510A	LC5241	LC4445
TECHNOLOGY	LCD	DLP/SVGA	DLP/XGA	LCD/XGA
BRIGHTNESS	1500/1800 Turbo AL	1000 Lumen	1000 ANSI lumen	1800 ANSI lumen
LAMP	200W UHP	120W	130 W UHP	200W UHP
LENS	09:01 Foc 5,7-37,9 mm Zoom 1,5x F/1,7-2,44	F/2.4 (f=21.9mm)	F2.4-2.6 ; f= 28-33mm 1.2x manual zoom/ focus	F1.7 - 2.1 ; f=36,8 - 47,8 mm 1.3x manual zoom / focus
CONTRAST RATIO	350:01:00	1800:1	650:1	300:1
MAXIMUM RESOLUTION	XGA	SVGA	1280x1024 SXGA	1024x768 SXGA
RECOMMENDED RESOLUTION	XGA		XGA 1280x1024	XGA 1024x768
IMAGE SIZE		Minimum Image Diagonal: 0,6m Maximum Image Diagonal: 6,2m	Minimum Image Diagonal: 25" Maximum Image Diagonal: 200"	Minimum Image Diagonal: 20" Maximum Image Diagonal: 300"
WEIGHT	4 ,3kg	1 kg	1,5 kg	3,6 kg
FAN NOISE	37 DB	32dB (under 25°C)	39dB	37 dB
POWER CONSUMPTION	300W	160W	180 W	250 W / 5 W standby
VIDEO INPUTS	1 mini jack, Video en S-Video signals, such as an S-VHS VCR output signals, 3 RCA	VGA, DVI, S-video, HDTV & component video	S-Video (Y/C DIN)/Video (RCA)/ Stereo Audio (2x RCA)/ YCbCr (15 pin)	S-video/S-VHS (Y/C), Component video input (RGB-Y,YCbCr,YPbPr), HDTVReadyTM-HDTV video input (480p, 720p, 1080i)
PLATFORM	PC & Mac	Windows, MAC	Windows, MAC	Windows, Mac
WARRANTY	one year standard	2 year parts & labour	3 years 1year on-site	3 years 1 year on-site
WEBSITE	www.canon.be	www.hp.be	www.philips.be/pcp-partner	www.philips.be/pcp-partner
PACKAGE CONTENTS	LV-7350 Multimedia projector, XGA, 1500/1800 Turbo ANSI Lumens (delivered with : remote control unit & AA alkaline batteries, AC cable, VGA cable, mouse control cable, lens cover, soft case & Instruction Books)	standard accessories: AC power cord (1.8 m) - VESA M1-A-to-D sub and USB cable (1.8 m) - USB Mini-B 5-pin-to-4-pin S-video cable (1.8 m) - 2.5 mm phonejack-to-RCA composite video cable - wireless remote control with mouse function and laser pointer - two batteries - tethered lens cap carrying bag - multi-language user's guide (CD-ROM) - multi-language quick start card	Remote Control + 2x AAA batteries, Power cord (1,8m) (2 cords, Continental Europe and USA), VGA Cable (1m), PC Audio cable, Mouse cable set; 1m, PS/2 ; 1m, USB, Audio/Video RCA Cable (1m,Video/Audio stereo), S-Video cable (1m), Soft carrying bag, User Guide (CD-Rom, Quick Reference Guide)	Laser pointer remote control, Power cord, Combined VGA-USB cable (2m), Audio/Video cable (2m), S-video cable (2m), Audio converter plug (3.5mm stereo jack to 2x RCA), Scart adapter (scart to RCA audio/video), Soft carrying bag, Lenscap, CD-ROM User Guide, Quick Setup Card
WHY BUY?	***1. Highest magnifying wide zoom lens in industry*** ***2. Low fan noise*** ***3. Optional availability for wireless LAN/MCI***	***featherweight combined with powerfull prestations***	***1. high contrast ratio 650:1*** ***2. ultra light - only 1,5 kg***	***1. ideal solution for conferences, training sessions and in hotels***


				
	hp	**NEC**	**hp**	**NEC**
MODEL	**mp3800**	**VT650**	**xb31**	**LT158**
PRICE EUR*	**4.598 EUR**	**4.917 EUR**	**5.566 EUR**	**5.664 EUR**
ARTNR.	782590	718356	773065	740795
PARTNR	L1548A	50021172	L1511A	50021524
TECHNOLOGY	DLP/XGA	3 x 0,9 inch p-Si LCD-panel	DLP/XGA	3 x 0,9 inch p-Si MLA LCD-panel
BRIGHTNESS	1300 Lumens	1500 ANSI-LUMEN	1500 Lumens	1500 ANSI-LUMEN
LAMP		160 W NSH Lamp	150W	130 W DC,NSH P-Type Lamp
LENS	F/2.44-2.69 (f=28.8 ~34.5 mm)	Manual zoom/focus F 1.7-2.0 mm ; f=33.5-40.1 mm	F/2.44-2.69 (f=28.8-34.5mm)	Manual zoom, Manual focus F 1.7-2.1 mm ; f=36.5-43.7 mm
CONTRAST RATIO	800:1	400:1	1800:1	600:1
MAXIMUM RESOLUTION	XGA	1600 x 1200 (UXGA)	XGA	1600 x 1200 (UXGA)
RECOMMENDED RESOLUTION		1024 x 768 (XGA)	Minimum Image Diagonal: 0,7m	1024 x 768 (XGA)
IMAGE SIZE	Minimum Image Diagonal: 0,6m Maximum Image Diagonal: 6,2m	0,6 - 7,6 m diagonal	Maximum Image Diagonal: 7,5m	0,6 - 7,6 m diagonal
WEIGHT	1,6kg	3,9 kg	1.6kg	2,2 kg
FAN NOISE	37dB (normal mode)	< 38 dB (A) < 35dB (A) ECO-mode	35dB (normal)	< 42 dB (A) < 37dB (A) ECO-mode*
POWER CONSUMPTION	200W/Standby 5W	240 W	220W	200 W
VIDEO INPUTS	VGA, DVI, S-video, HDTV & component video	PAL 60/NTSC/SECAM/NTSC 4.43/PAL-N/PAL-M	VGA, DVI, S-video, HDTV & component video	PAL 60/NTSC/SECAM/NTSC 4.43/PAL-N/PAL-M
PLATFORM	Windows, MAC	PC & Mac	Windows, MAC	PC & Mac
WARRANTY	2 year pick-up & return	3 years warranty	2 year parts & labor	3 years warranty
WEBSITE	www.hp.be	www.nec-pj.com	www.hp.be	www.nec-pj.com
PACKAGE CONTENTS		VT650, Remote Control With Mouse Control, Infrared Mouse Receiver, Softcase, Users Manual, Mini D-sub Signal Cable, Power Cord, Lens Cap	standard accessories: VESA M1-A-to-D sub and USB cable (1.8 m) 4-pin S-video-to-4-pin S-video cable (1.8 m) - RCA jack-to-RCA composite video cable (1.8 m) - 2.5 mm phonejack-to-2.5 mm phonejack audio cable - wireless remote control with mouse function and laser pointer - two batteries - tethered lens cap - carrying bag - multi-language user's guide (CD-ROM) - multi-language quick start card	LT158, Remote Control with laserpointer and mouse control, IR-Receiver, DVI-D Signal Cable, DVI-A to VGA Adapter, Power Cord, Lens Cap, Softcase, Users manual, CD-ROM
WHY BUY?	***low weight/compact size but high image performance - integrated dual 2-watt stereo speakers***	***1. Digital zoom up to 400%*** ***2. Keystone correction up to +/- 30°*** ***3. Aspect Ratio Video/RGB"***	***easy set up for high-impact presentations even under difficult conditions***	***1. Digital Zoom up to 400%*** ***2. Keystone Correction up to +/- 30° (digital)*** ***3. PC Card Slot"***

*streetprice incl VAT, excl Recupel

	 SONY	 CANON	 NEC	 SONY
MODEL	**VPL-HS10**	**LV-7355**	**LT220**	**VPL-CX5**
PRICE EUR	**4.074 EUR**	**5.045,70 EUR**	**4.369 EUR**	**4.416 EUR**
ARTNR.	780988	775965	780555	763843
PARTNR	VPL-HS10	8127A003	50022350	VPL-CX5
TECHNOLOGY	WXGA	LCD	0,7 inch DLP-projector	3 x 0,7 inch p-Si TFT LCD Panel with Micro Lens Array
BRIGHTNESS	1200 ANSI lumen	1900/2200 Turbo ANSI Lumens	1800 ANSI-LUMEN	2000 ANSI-LUMEN
LAMP	180W UHP	200W UHP	220 W NSH Lamp	165 W UHP Lamp
LENS	lens: 1.3x powered zoom / focus	09:01 Foc 5,7-37,9 mm Zoom 1,5x F/1,7-2,44	Manual zoom, Manual focus F 2.0-2.2 mm ; f=26.7-29.3 mm	1.2 times manual zoom lens F 1.8 to 2.5, f28.2 to 33.8 mm
CONTRAST RATIO	700:1	350:01:00	500:1	300:1
MAXIMUM RESOLUTION	1366x768 WXGA	XGA	1600 x 1200 (UXGA)	SXGA (1280 x 1024)
RECOMMENDED RESOLUTION		XGA	1024 x 768 (XGA)	XGA (1024 x 768)
IMAGE SIZE	40"-300"		30 to 500 inches diagonal	1m to 3.8m (viewable area, measured ` diagonally)
WEIGHT	5,4kg	4 ,3kg	2,9 kg	2,7 kg
FAN NOISE	30dB	38 DB	< 32dB standard mode < 29dB Eco-mode	42 dB / 38 dB (low)
POWER CONSUMPTION	260W	300W	280 W (max)	Max. 240W, Standby 7W
VIDEO INPUTS	Video in , S-video-in, Component, RGB-Computer	1 mini jack, Video en S-Video signals, such as an S-VHS VCR output signals, 3 RCA	RGB : VGA, SVGA, XGA, SXGA, UXGA Video : NTSC, NTSC 4.43, PAL, PAL-60, PAL-M, PAL-N, SECAM Component : HDTV (1080i, 720p, 480p, 480i/60Hz, Progressive PAL-Scan/50Hz)"	Video (PAL, SECAM, NTSC, NTSC 4.43, PAL-M, PAL-N), RGB/Component, Y/C Video, Composite Video, USB type B
PLATFORM	Windows, MAC	PC & Mac	PC & Mac	PC & Mac
WARRANTY	1 year carry-in	one year standard	3 years warranty	2 year warranty
WEBSITE	www.sony.be	www.canon.be	www.nec-pj.com	www.sonypresentations.com
PACKAGE CONTENTS	remote, cable, Cinama Filter	(delivered with : remote control unit & AA alkaline batteries, AC cable, XGA cable, mouse control cable, lens cover, soft case & Instruction Books)	LT220, User's Manual (CD-ROM), PJ/PC Remote, Batteries, Power Cable, 15-pin mini D-sub Cable, USB Cable, A & B Quick Connect Guide, Registration Card, Lens Cap with attachment string & rivet	VPL-CX5, Remote Commander RM-PJM12, AA-size Battery X 2, Signal Cable (HD D-sub 15pin to D-sub 15pin, 2m), USB Cable (A type to B type, 2m), Air filter, AC Power Cord, Carry Case, Operation Manual, Quick Reference Sheet, 8 MB Memory Stick, CD-ROM
WHY BUY?	*Home cinema - Side Shot 2- Horizontal adjustement - Memorystick slot - 16:9 aspect ratio - Cineza*	*1. Highest magnifying wide zoom lens in industry 2. Low fan noise 3. Optional availability for wireless LAN/MCI*	*1. 3D Lens Shift : horizontal, vertical and diagonal distortion correction 2. Wired and wireless LAN capability 3. Built-in PC Card Viewer : save your slides on a Compact Flash memory card"*	*1. Easy to use : Intelligent Auto Setup, Tilt Adjustment, Keystone Adjustment and Input Selection are all done automatically 2. Brighter : 2000 ANSI-LUMEN 3. Lighter : 2,7 kg"*


	 hp	 EPSON	 NEC	 PHILIPS
MODEL	**mp4800**	**EMP-TW100**	**LT240**	**Proscreen PXG20**
PRICE EUR	**5.687 EUR**	**5.777,00 EUR**	**5.860 EUR**	**7.984,79 EUR**
ARTNR.	782591	738098	780554	727234
PARTNR	L1549A	V11H053040	50022351	LC1241
TECHNOLOGY	DLP/XGA	LCD, 3 x 0,87" Polysilicon TFT Aktiv-Matrix	0,7 inch DLP-projector	LCD/XGA
BRIGHTNESS	2000 Lumens	700 ANSI Lumens	2000 ANSI-LUMEN	3000 ANSI lumen
LAMP	200W	150W UHE Lamp	220 W NSH Lamp	200W UHP
LENS		Manual adjustment	Manual zoom, Manual focus F 2.5-2.9 mm ; f=22.4-27.0 mm	F1.7 - 2.3; f=49.1-63.8mm 1.3x motor zoom / focus
CONTRAST RATIO	800:1	600:1	1300:1	250:1
MAXIMUM RESOLUTION	XGA	W-XGA	1600 x 1200 (UXGA)	1600x1200 U-XGA
RECOMMENDED RESOLUTION	Minimum Image Diagonal: 0,6m	1280 x 720	1024 x 768 (XGA)	XGA 1024x768
IMAGE SIZE	Maximum Image Diagonal: 7,6m	30" to 300"	30 to 500 inches diagonal	Minimum Image Diagonal: 40" Maximum Image Diagonal: 300"
WEIGHT	2,63 kg	4.2 kg	3,2 kg	7,3 kg
FAN NOISE	36dB (normal mode)	30 dBA	< 32dB standard mode < 29dB Eco-mode	39dB
POWER CONSUMPTION	250W/Standby 15W	100-120V 2.7-1.3A 50/60Hz	280 W (max)	265 W
VIDEO INPUTS	VGA, DVI, S-video, HDTV & component video	Composite Video: RCA x 1-Component Video: Mini D-sub 15 PINX1. RCA x 3-S Video: Mini DIN x 1	RGB : VGA, SVGA, XGA, SXGA, UXGA Video : NTSC, NTSC 4.43, PAL, PAL-60, PAL-M, PAL-N, SECAM - Component : HDTV (1080i, 720p, 480p, 480i/60Hz,1080i/50Hz, Progressive PAL-Scan/50Hz)"	Video NTSC 3.85, 4.43 /PAL-CCIR, Secam, DTV/HDTV (1080i, 720p,480p with 4:3 and 16:9 aspect ratios) and DVD compatible.
PLATFORM	Windows, MAC	PC & Mac	PC & Mac	all video and PC/Mac data sources up to UXGA
WARRANTY	3 year pick-up & return	3 year carry-in	3 years warranty	3 years
WEBSITE	www.hp.be	www.epson.be	www.nec-pj.com	1 year on-site
PACKAGE CONTENTS		Streamcable 3 m , remote control incl batteries, manual, video and-audiocable, component video cable : 3RCA-HD15 TOP Quality in Home entertainment projection-Ultra High resolution and contrast ratio	LT240, User's Manual (CD-ROM), PJ/PC Remote, Batteries, Power Cable, 15-pin mini D-sub Cable, USB Cable, A & B Quick Connect Guide, Registration Card, Lens Cap with attachment string & rivet	www.philips.be/pcp-partner lenscap, 2x Power cord, Remote Control + 3x AA batteries + USB Mouse receiver, VGA cable, RCA cable (Video/Audio stereo) + RCA - BNC adapters (3x), S-Video cable, Scart - RCA adapter, DIN-D sub RS232C cable, User Guide (CD-ROM) plus Quick Reference, Registration card, Extra Air filter
WHY BUY?	*remote control with laserbeam - integrated dual 2-watt stereo speakers - optional ceiling mounting kit*	*1. Ideal for home cinema experience 2. Fully HDTV compliant 3. Ultra high resolution and contrast ratio*	*1. 3D Lens Shift : horizontal, vertical and diagonal distortion correction 2. Short throw lens for versatile projector placement 3. Extreme contrast of 1300:1 for the ultimate image*	*1. compatible with UXGA en HDTV 2. suitable for an audience of up to 1000 people*


OVERVIEW



				
	FUJI	CANON	hp	OLYMPUS
MODEL	**FinePix A202**	**Powershot A200**	**HP PhotoSmart 320**	**C-120**
PRICE EUR*	**259 EUR**	**263 EUR**	**299 EUR**	**299 EUR**
RECUPEL (incl.VAT)	6 EUR	6 EUR	6 EUR	6 EUR
PARTNR.	45054	7639A002	Q2180A	503321137585
ARTNR.	774339	752966	752524	738009
CCD RESOLUTION	2,11 mio pixels	2 Megapixel	2,3 MP	2,11 mio pixels
VIEWFINDER	Optical & LCD	Inverted Galilean viewfinder	Optical & LCD	Optical & LCD
LCD MONITOR	1,5" colour TFT LCD, 55.000 pixels	1,5" TFT colour LCD	3,8 cm	4,1 cm colour TFT LCD, 61.000 pixels
MEMORY INCLUDED	16 MB	8 MB CF card	8 MB internal memory	8 MB
MEMORY TYPE	xD-Picture Card	Compact Flash Type I	Secure Digital Card	SmartMedia
NUMBER OF IMAGES	1 - 49 (with 16 MB xD-Picture Card)		7 - 100	1 - 47 (with 8 MB SmartMedia)
FILE FORMAT	Still image : JPEG (Exif Ver 2.2) Movie : AVI (Motion JPEG)"	Still: JPEG or RAW Movie: AVI	JPEG & AVI	Still image : JPEG, DCF, DPOF / Movie picture : QuickTime Motion JPEG
DIGITAL/OPTICAL ZOOM	2,5 x digital zoom	4x	4 x digital zoom	2,5 x digital zoom
LENS FOCAL LENGTH	36 mm	35mm film equivalent : 39mm	5,9 mm - 35mm equivalent	35 mm
FOCUS DISTANCE	Normal : 80 cm - infinity ; Macro : 8 cm - 13 cm"	Normal : 20cm - infinity, macro : 5cm - 20cm, landscape : 5m - infinity	0,75m to infinity	Standard : 60 cm - infinity ; Macro : 25 cm - infinity"
SHUTTER SPEED	1/2 - 1/1000 seconds	1 - 1/2000 sec	1/1,5 - 1/1000 secs	1/2 - 1/2000 seconds
POWER	2 x AA alkaline/Ni-MH batteries, AC power adapter (optional)	AA batteries : Alkaline (supplied), NiMH, compact power adapter	4 AA bat (incl.)	2 x lithium batteries LB-01 (CR-V3), 4 x AA alkaline batteries, 4 x AA Ni-MH batteries, 4 x AA lithium batteries, 4 x AA NiCd batteries, AC adaptor (optional)
VIDEO OUT	No	PAL / NTSC		PAL
INTERFACE	USB 1.1	USB, CompactFlash Type I	USB/Secure Digital	USB
PLATFORM	PC & Mac		Win 98/ME/2000/XP - Mac OS 9,1 /X/10,1,2	Windows & Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	http://home.fujifilm.com	www.canon.be	www.hp.be	www.olympus.be
PACKAGE CONTENTS	FinePix A202, 16 MB xD-Picture Card, 2 AA-size alkaline batteries, Hand Strap, USB Cable, CD-ROM	Camera, case for CF-card, 8MB CF-card, 2 AA-type alkaline batteries, wrist strap WS-200, interface cable IFC-300PCU (for USB)	includes 4 AA Lithium-ion batteries/ USB-cable/wrist strap/hp imaging & software incl. hp momories disk CD/ quick starter guide and manual/ manuals on CD	8 MB Smartmedia Card, Camedia Software 4.0, 2 AA batteries, USB cable, Strap.
WHY BUY?				
	1. Long battery life *2. Movie & webcam recording function* *3. Superb image quality* *4. High quality TFT-monitor"*	*1. Entry-level digital camera for the first buyer* *2. Direct print function* *3.Movie mode*	*User friendly hp photo imaging software - (IST) instant share technology (e-mail/print/save) - video recording (no sound)*	*1. Easy to operate* *2. Focus Free* *3. Low Power Consumption*

				
	FUJI	OLYMPUS	FUJI	SONY
MODEL	**FinePix A204**	**C-220**	**FinePix A203**	**DSC-U20**
PRICE EUR*	**359 EUR**	**399 EUR**	**409 EUR**	**410 EUR**
RECUPEL (incl.VAT)	6 EUR	6 EUR	6 EUR	6 EUR
PARTNR.	45075	50332137547	45055	DSC-U20
ARTNR.	774340	738010	774341	772297
CCD RESOLUTION	2,11 mio pixels	2,11 mio pixels	2,11 mio pixels	2.1 Megapixel
VIEWFINDER	Optical & LCD	Optical & LCD	Optical & LCD	LCD
LCD MONITOR	1,5" colour TFT LCD, 55.000 pixels	3,8 cm colour TFT LCD, 114.000 pixels	1,5" colour TFT LCD, 60.000 pixels	1,0" TFT Reflective LCD
MEMORY INCLUDED	16 MB	8 MB	16 MB	8MB Memory Stick
MEMORY TYPE	xD-Picture Card	SmartMedia	xD-Picture Card	Memory Stick
NUMBER OF IMAGES	1 - 49 (with 16 MB xD-Picture Card)	1 - 49 (with 8 MB SmartMedia)	1 - 49 (with 16 MB xD-Picture Card)	10-240/16MB 20-488/ 32MB 40-983/64MB
	Still image : JPEG (Exif Ver 2.2)			80-1966/128MB
FILE FORMAT	Movie : AVI (Motion JPEG)"	Still image : TIFF, JPEG, DCF, DPOF / Movie	Still image: JPEG (Exif Ver 2.2)	JPEG, MPEG1
		picture : QuickTime Motion JPEG	Movie : AVI (Motion JPEG)"	
DIGITAL/OPTICAL ZOOM	3 x optical zoom ; 2,5 x digital zoom	3 x optical zoom / 2,5 x digital zoom	3 x optical zoom ; 2,5 x digital zoom	
	38 - 114 mm	38 mm - 114 mm	38 - 114 mm	5mm (35mm conversion: 33)
LENS FOCAL LENGTH	Normal : 80 cm - infinity ;	Standard : 50 cm - infinity ;	Normal : 60 cm - infinity ;	AF: 100mm-infinity
	Macro : 10 cm - 80 cm	Macro : 20 cm - 50 cm "	Macro : 10 cm - 80 cm"	Auto (1/30,1/2000)
FOCUS DISTANCE				
SHUTTER SPEED	1/2 - 1/1000 seconds	1/2 - 1/1000 seconds	1/2 - 1/2000 seconds	
POWER	2 x AA alkaline/Ni-MH batteries, AC power adapter (optional)	1 x lithium batteries LB-01 (CR-V3), 2 x AA alkaline batteries, 2 X AA Ni-MH batteries, 2 x AA lithium batteries, 2 x AA NiCd batteries, AC adaptor (optional)	2 x AA alkaline/Ni-MH batteries, AC power adapter (optional)	AAA nickel metal hybride battery, 2 x USB-bus powered
VIDEO OUT	No	PAL	No	
INTERFACE	USB 1.1	USB	USB 1.1	USB
PLATFORM	PC & Mac	Windows & Mac	PC & Mac	Windows / Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	http://home.fujifilm.com	www.olympus.be	http://home.fujifilm.com	www.sony.be
PACKAGE CONTENTS	FinePix A204, 16 MB xD-Picture Card, 2 AA-size alkaline batteries, Hand Strap, USB Cable, CD-ROM	8 MB Smartmedia Card, Camedia Software 4.0, 2 AA Batteries, USB Cable, Video Cable, Strap.	FinePix A203, 16 MB xD-Picture Card, 2 AA-size alkaline batteries, Hand Strap, USB Cable, CD-ROM	2xAA NihM batteries, 8MB Memory Stick, Battery charger, power cord, neck strap Pixela ImageMixer 1,0, Image transfer, USB driver, USB cable
WHY BUY?	*1. 3 x optical zoom* *2. Lens protection cover* *3. Very agressive price*	*1. Ultra Compact* *2. Optical Real Image View finder* *3. Easy to Operate*	*1. New technology : xD-picture card* *2. 3 x optical zoom* *3. Very low energy consumption*	*Super compact* *Trendy*

*streetprice incl VAT, excl Recupel

				
CANON	**SONY**	**hp**	**NIKON**	**SONY**
Powershot A30/A40	**DSC-U10**	**HP PhotoSmart 620**	**CoolPix 2000**	**DSC-P51**
303,00 EUR(A30) 423,00 EUR (A40)	**312 EUR**	**329 EUR**	**349 EUR**	**357 EUR**
6 EUR	6 EUR	6 EUR	6 EUR	6 EUR
7635A015 (A30) 7634A016 (A40)	DSC-U10	Q2170A 752525	18208899784	DSC-P51
740112 (A30) 740114 (A40)	772296		756396	719397
1,2 Megapixel (A30) 2,0 Megapixel (A40)	1.3 Megapixel	2,3 MP	2,11 mio pixels	2.0 Megapixel
optical & LCD	LCD	Optical & LCD	Optical & LCD	Optical & LCD
1,5” TFT colour LCD	1,0” TFT Reflective LCD	3,8 cm	1,5 inch colour TFT LCD, 110.000 pixels	1,6” TFT LCD
8MB CF card	8MB Memory Stick	8 MB internal memory	8 MB	8MB Memory Stick
Compact Flash Type I	Memory Stick	Secure Digital Card	CompactFlash Card	Memory Stick
2,5 per sec (high speed)	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB	7 - 100	1 - 39 (with 8 MB CompactFlash)	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB
Still: JPEG or RAW Movie: AVI	JPEG, Videomail	JPEG & AVI	JPEG/Quick Time Movie	JPEG, MPEG, TIFF,GIF, MPEG Movie HQX (w/o audio), Clip Motion
A30 : 2x (max. 6x digital zoom combined with optical zoom) A40 : 2,5x (max. 7,5x digital zoom combined with optical zoom)		12x zoom: 3x optical & 4x digital zoom	3 x optical zoom ; 2,5 x digital zoom	2x optical (6 x digital precision) zoom
35-105mm	5mm (35mm conversion: 33)	5,6/15,7 mm - 36/102 equivalent	38 mm - 114 mm	6,3-12,6 (35mm conversion: 41-82)
Normal: 76cm - infinity Macro: 16cm(W)/26cm(T)-76cm	AF: 100mm-infinity	0,2m to infinity	-	-
1 - 1/1500 sec	Auto (1/30,1/2000)	1/1,5 - 1/1000 secs	1 - 1/1000 seconds	Auto
A4 batteries: Alkaline, NiMH, compact power adapter	AAA nickel metal hybride battery, 2 x USB-bus powered	4 AA bat (incl.)	4 X AA alkaline batteries, Ni-MH or NiCd batteries, AC Adaptor EH-53 (optional)	Stamina NiMH batteries (supplied)
PAL / NTSC			NTSC/PAL	Video Out
A30: Video output, USB, CompactFlash Type I A40: Audio/Video output, USB, CompactFlash type I	USB	USB/Secure Digital	USB	USB
PAL / NTSC	Windows / Mac	Win 98/ME/2000/XP - Mac OS 9,1 /X/10,1,2	Windows & Mac	Windows / Mac
1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
www.canon.be	www.sony.be	www.hp.be	www.nikon.be	www.sony.be
Camera, wrist strap WS-200, video cable VC-100, 4x AA-type alkaline batteries, interface cable IFC-300PCU, 8MB CF-card, case for CF-card	2xAA NihM batteries, 8MB Memory Stick, Battery charger, power cord, neck strap Pixela ImageMixer 1,0, Image transfer, USB driver, USB cable	includes 4 AA Lithium-ion batteries/ USB-cable/wrist strap/hp imaging & software incl. hp momories disk CD/ quick starter guide and manual/ manuals on CD	CoolPix 2000, Strap, 8 MB CompactFlash Card, USB Cable, Video Cable, 4 x AA alkaline batteries, Nikon View 5 (CoolPix) - CD-ROM	4 x AA alkaline batteries, 8MB Memory Stick, Video connecting cable, Pixel Image Mixer Software
1. Movie clip function 2. Direct print function to CP10/CP100 3. Std. 8 MB compactflash card	***Super compact Trendy***	***User friendley hp photo imaging software - IST (e-mail/print/save) - video recording (no sound) - with 3x optical zoom***	***1. Easy to operate 2. Easy transfer to PC 3. Low Power Consumption***	***Pre-flash - Multiburst - Picture effects: Solarization, Black & white, sepia***

				
NIKON	**hp**	**FUJI**	**FUJI**	**SONY**
CoolPix 2500	**HP PhotoSmart 720**	**FinePix F402**	**FinePix A303**	**DSC-P71**
449 EUR	**469 EUR**	**473 EUR**	**499 EUR**	**508 EUR**
6 EUR	6 EUR	6 EUR	6 EUR	6 EUR
18208899210	Q2164A	45194	45056	DSC-P71
738011	752526	786188	774342	719398
2,11 mio pixels	3,3 Megapixel	2,11 mio pixels ; 3,98 mio pixels output	3,34 mio pixels	3.2 Megapixel
Optical & LCD	Optical & LCD			Optical & LCD
1,5 inch colour TFT LCD, 110.000 pixels	4,1 cm	1,5” colour TFT LCD, 117.000 pixels	1,5” colour TFT LCD, 60.000 pixels	1, 5” TFT LCD
8 MB	16 MB internal memory	16 MB	16 MB	16MB Memory Stick
CompactFlash Card	Secure Digital Card	xD-Picture Card	xD-Picture Card	Memory Stick
1 - 29 (with 8 MB CompactFlash)	12 - 220	1 - 49 (with 16 MB xD-Picture Card)	1 - 49 (with 16 MB xD-Picture Card)	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB
JPEG/Quick Time Movie	JPEG & AVI	Still image : JPEG (Exif Ver 2.2) Movie : AVI (Motion JPEG)”	Still image : JPEG (Exif Ver 2.2) Movie : AVI (Motion JPEG)”	JPEG, MPEG, TIFF,GIF, MPEG Movie EX, Clip Motion
3 x optical zoom ; 4 x digital zoom	12x zoom: 3x optical & 4x digital zoom	3,6 x digital zoom	3 x optical zoom ; 3,2 x digital zoom	3x optical (6 x digital precision) zoom
37 mm - 111 mm	7/21mm - 34/102mm equivalent	39 mm	38 - 114 mm	8-24mm (35mm conversion: 39-117mm)
Standard : 30 cm - infinity, Macro 4 cm.”	0,2m to infinity	Normal : 50 cm - infinity ; Macro : 6 cm - 65 cm”	Normal : 60 cm - infinity Macro : 10 cm - 80 cm”	AF: 500mm-infinity
1/3000 - 2 seconds	2 to 1/1000 secs	1/2 - 1/2000 seconds	1/2 - 1/2000 seconds	Auto
1 rechargeable Li-ion battery EN-EL2, Ac Adaptor kit EH-60 (optional)	4 AA bat (incl.)	Rechargeable Li-ion battery NP-40, AC Power Adapter included	2 x AA alkaline/Ni-MH batteries, AC power adapter (optional)	Stamina NiMH batteries (supplied)
NTSC/PAL		No	No	Video Out
USB	USB/Secure Digital	USB 1.1	USB 1.1	USB
Windows & Mac	Win 98/ME/2000/XP - Mac OS 9,1 /X/10,1,2	PC & Mac	PC & Mac	Windows / Mac
1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
www.nikon.be	www.hp.be	http://home.fujifilm.com	http://home.fujifilm.com	www.sony.be
CoolPix 2500, Strap, 8 MB CompactFlash Card, USB Cable, Rechargeable Li-ion battery EN-EL2, Battery Charger MH-60, Nikon View 5 (CoolPix) CD-ROM	includes 4 AA Lithium-ion batteries/ USB-cable/wrist strap/hp imaging & software incl. hp momories disk CD/ quick starter guide and manual/ manuals on CD	FinePix F402, 16 MB xD-Picture Card, Rechargeable Lithium-ion battery NP-40, AC-5VS/5VHS, Shoulder Strap, USB Cable, CD-ROM	FinePix A303, 16 MB xD-Picture Card, 2 AA-size alkaline batteries, Hand Strap, USB Cable, CD-ROM	2xAA NihM batteries, 16MB Memory Stick, Video connecting cable, Pixel Image Mixer Software
1. Easy to operate 2. Easy transfer to PC 3. Low Power Consumption	***User friendley hp photo imaging software - IST (e-mail/print/save) - 30 sec. video & sound recording***	***1. Superstylish design : only 22 mm thick 2. Very agressive price 3. New xD card technology***	***1. 3,2 megapixel with 3 x optical zoom 2. Stylish design, only 34mm thick 3. Good market price***	***Red eye reduction - Picture effects: Solarization, black & white, Sepia***


	OLYMPUS	CANON	NIKON	FUJI
MODEL	**C-300**	**Digital Ixus 330**	**CoolPix 3500**	**FinePix F401**
PRICE EUR*	**549 EUR**	**593 EUR**	**599 EUR**	**620 EUR**
RECUPEL (incl.VAT)	6 EUR	6 EUR	6 EUR	6 EUR
PARTNR.	50332138148	7644A001	0018208899951	44941
ARTNR.	756420	732894	782929	767115
CCD RESOLUTION	3 mio pixels	2 Megapixel	3,2 mio pixels	2,11 mio pixels ; 3,98 mio pixels output
VIEWFINDER	Optical & LCD	Real-image zoom viewfinder	Optical & LCD	Optical & LCD
LCD MONITOR	4,5 cm colour TFT LCD, 61.000 pixels	1,5” TFT colour LCD	1,5 inch colour TFT LCD, 110.000 pixels	1,5” colour TFT LCD, 114.000 pixels
MEMORY INCLUDED	16 MB	8MB CF card	16 MB	16 MB
MEMORY TYPE	SmartMedia	Compact Flash Type I	CompactFlash	SmartMedia Card
NUMBER OF IMAGES	1 - 165 (with 16 MB SmartMedia)	2,5 per sec	1-59 (with 16 MB Compact Flash)	1 - 49 (with 16 MB SmartMedia Card)
FILE FORMAT	Still image : JPEG, DCF, DPOF / Movie picture : QuickTime Motion JPEG	Still: JPEG Movie: AVI	Still image : TIFF, JPEG / Movie picture : QuickTime Motion JPEG	Still image : JPEG (Exif Ver 2.2) Movie : AVI (Motion JPEG)”
DIGITAL/OPTICAL ZOOM	2,8 x optical zoom ; 3,6 x digital zoom	2,5x (max. 7,5x digital zoom combined with optical zoom)	3 x optical zoom ; 4 x digital zoom	3 x optical zoom ; 3,6 x digital zoom
LENS FOCAL LENGTH	36 mm - 100 mm	35-105mm	37 mm - 111 mm	38 - 114 mm
FOCUS DISTANCE	Standard Mode : 80 cm - infinity, Macro Mode: 20 cm - 80 cm	Macro: 16(W)/26(T)–76cm Normal: 76cm - Landscape: 5m - ∞	Standard : 30 cm - infinity ; Macro : 4 cm - infinity	Normal : 60 cm - infinity ; Macro : 10 cm - 80 cm”
SHUTTER SPEED	1/2 - 1/1000 seconds	15 - 1/1500 sec	2 - 1/3000 seconds	1/4 - 1/2000 seconds
POWER	2 x LB-01 (CR-V3) Lithium batteries, 4 x AA alkaline batteries, 4 x AA Ni-MH rechargeable batteries, 4 x AA lithium batteries, 4 x AA NiCd rechargeable batteries, AC adaptor C-7AU (optional)	Li-ion rechargeable battery (battery & charger supplied)	EN-EL2 Lithium-Ion rechargeable battery	Rechargeable Li-ion battery NP-60, AC Power Adapter included
VIDEO OUT	PAL	PAL / NTSC	NTSC/PAL	No
INTERFACE	USB	USB, Audio/Video output, Compact Flash type I	USB	USB 1.1
PLATFORM	Windows & Mac	Windows, MAC	Windows & Mac	PC & Mac
WARRANTY	1 year carry-in	1 year carry-in	1year carry-in	1 year carry-in
WEBSITE	www.olympus.be	www.canon.be	www.nikon.be	http://home.fujifilm.com
PACKAGE CONTENTS	16 MB Smart Media Card, 4 AA Batteries, USB Cable, Video Cable, Strap, Camedia Master 4.0.	Camera, wrist strap WS-110, AV-cable, battery charger, NB-1LH battery pack, NB-1LH terminal cap, USB interface cable IFC-300PCU, 8MB CF-card, case for CF-card	CoolPix 3500, Strap, 16 MB CompactFlash Card, USB Cable, Rechargeable Li-ion battery EN-EL2, Battery Charger MH-60, Nikon View 5 CD-ROM	FinePix F401, 16 MB SmartMedia Card, Rechargeable Lithium-ion Battery NP-60, AC-5VS/5VHS, Shoulder Strap, USB Cable, CD-ROM
WHY BUY?	***1. Easy to operate 2. Macro function up to 20 cm 3. Quick Time Motion”***	***1. Prestige compact & stylish camera 2. Direct print to CP10/CP100 3. Built-in speaker***	***1. Easy to operate 2. Easy tranfer to PC 3. Low power consumption***	***1. Stylish design with blue alluminations 2. Super CCD with 1600 ISO 3. Lithium-ion battery”***






	OLYMPUS	hp	Sony	hp
MODEL	**C-720**	**PhotoSmart 812+ docking**	**MVC-FD200**	**hp PhotoSmart 850**
PRICE EUR*	**699 EUR**	**699 EUR**	**700 EUR**	**749 EUR**
RECUPEL (incl.VAT)	6 EUR	6 EUR	6 EUR	6 EUR
PARTNR.	50332137264	Q2148A	713930	Q2190A
ARTNR.	762914	725718	MVC-FD200	769452
CCD RESOLUTION	3 mio pixels	4,13 MP	2 Mega pixel	4,13 MP
VIEWFINDER	Optical & LCD	Optical	LCD	Optical
LCD MONITOR	3,81 cm colour TFT LCD, 114.000 pixels	3,8 cm	2,5” TFT LCD	5 cm
MEMORY INCLUDED	16 MB	16 MB via SD		16 MB via SD
MEMORY TYPE	SmartMedia	Secure Digital Card	Floppy disk / Memorystick	Secure Digital Card
NUMBER OF IMAGES	1 - 99 (with 16 MB SmartMedia)	6-128		5-71
FILE FORMAT	Still image : TIFF, JPEG, DCF / Movie picture : QuickTime Motion JPEG	JPEG & MPEG	JPEG, TIFF, GIF, MPEG, Clip Motion	JPEG & MPEG
DIGITAL/OPTICAL ZOOM	8 x optical zoom ; 3 x digital zoom	21x zoom: 3x optical - 7x digital zoom	3x optical / 6x Precision digital zoom	56x zoom: 8x optical - 7x digital zoom
LENS FOCAL LENGTH	40 mm - 320 mm	7,6-22,8 mm	6.4 - 19.2mm (35mm conversion) 41 - 123mm	7,6/61 mm - 37/300 equivalent
FOCUS DISTANCE	Standard Mode : 60 cm - infinity (wide), 20 cm - infinity (tele) / Macro Mode : 10 cm - 60 cm (wide), 1 m - 2 m (tele)	0,14m tot infinity		0,1m tot infinity
SHUTTER SPEED	1/2 - 1/1000 seconds	12 to 1/2000 sec		16 to 1/2000 sec
POWER	2 x LB-01 (CR-V3) Lithium batteries, 4 x AA alkaline batteries, 4 x AA Ni-MH rechargeable batteries, 4 x AA lithium batteries, 4 x AA NiCd rechargeable batteries, AC adaptor C-7AU (optional)	2 AA bat (incl)	Infolithium battery	4 AA bat (incl)
VIDEO OUT	PAL	-	Video out (PAL/NTSC)	
INTERFACE	USB	USB/Secure Digital + video/tv/pc via docking	USB	USB 2.0 & SD
PLATFORM	Windows & Mac	Win 98/ME/2000/XP & Mac OS (9.1 or higher, X 10,1 or higher)	Windows /Mac	Win 98/ME/2000/XP - Mac OS 9,1 /X/10,1,2
WARRANTY	1 year carry-in	1 year carry-in	1 year Carry-in	1 year carry-in
WEBSITE	www.olympus.be	www.hp.be	www.sony.be	www.hp.be
PACKAGE CONTENTS	16 MB xD-Picture Card, 2x CR-V3 batteries, USB Cable, Video Cable, Strap, Camedia Master 4.0.	16 MB Secure Digital Card, 2 AA Photo Lithium batteries, wrist strap, software CD, quick starter poster, user maual, USB-cable, Tiffen catalogue, accessories flyer, warranty card, dock insert + dockingstation C8881A	NP-F330, AC power adaptor, AC cable, video cable, USB cable, Pixela ImageMixer v 1,0	16 MB Secure Digital Card, 2 AA titanium batteries, wrist strap, software CD, quick start poster, user maual, USB-cable, tiffen catalogue, accessories flyer, warranty card, dock insert
WHY BUY?	***1. 8x Optical Zoom 2. Compact ergonomic body 3. True Pic process for sharper images***	***User friendley hp photo imaging software - 60sec. video & sound recording - IST (e-mail/print/save) - with docking station***	***Memorystickslot - User friendly with floppy disks***	***User friendley hp photo imaging software - 60sec. video & sound recording - IST (e-mail/print/save) - 8x optical zoom - a lot of professional manual controls***

*streetprice incl VAT, excl Recupel








SONY	SONY	hp	FUJI	CANON
DSC-F77	**DSC-P7**	**hp PhotoSmart 812**	**FinePix S304**	**Digital Ixus V3**
647 EUR	**649 EUR**	**649 EUR**	**655 EUR**	**693 EUR**
6 EUR	6 EUR	6 EUR	6 EUR	6 EUR
DSC-F77	DSC-P7	Q2146A	45057	8186A006
772295	749603	725588	774343	780351
4.1 Megapixel	3.2 Megapixel	4,13 MP	3,34 mio pixels	3,2 Megapixel
Optical & LCD	Optical & LCD	Optical	Optical & LCD	Real-image zoom viewfinder
1, 8" TFT LCD	1, 5" TFT LCD	3,8 cm	1,8" colour TFT LCD, 62.000 pixels	1,5" TFT colour LCD
16MB Memory Stick	16MB Memory Stick	16 MB via SD	16 MB	16MB CF card
Memory Stick	Memory Stick	Secure Digital Card	xD-Picture Card	Compact Flash Type I
10-240/16MB 20-488/ 32MB 40-983/64MB	10-240/16MB 20-488/ 32MB 40-983/64MB	6-128	1 - 49 (with 16 MB xD-Picture Card)	
80-1966/128MB	80-1966/128MB		Still image : JPEG (Exif Ver 2.2)	Still : JPEG Movie : AVI
JPEG, MPEG1, GIF, HQX	JPEG, MPEG1, MPEG Movie EX, Clip Motion,	JPEG & MPEG	Movie : AVI (Motion JPEG)"	
	Voice Memo			
	3x optical (6 x digital precision) zoom	21x zoom: 3x optical - 7x digital zoom	6 x optical zoom ; 3,2 x digital zoom	3,2x (max. 6,4x digital zoom combined
				with optical zoom)
7,65mm (35mm conversion: 37mm)	8-24mm (35mm conversion: 39-117mm)	7,6-22,8 mm	38 - 228 mm	35-70mm
AF: 500mm- infinity	AF: W:0,5m- infinity T:0,6m-infinity Macro	0,14m tot infinity	Normal : 80 cm - infinity ;	Macro AF : 10cm (W)/27cm (T) - 47cm,
Macro AF: 100mm-infinity	AF: W:0,1m-infinity T:0,6m-infinity		Macro : 10 cm - 80 cm"	Normal AF : 47cm - infinity,
				Landscape : 5m - infinity
Auto (1/30,1/1000)	Auto	12 to 1/2000 sec	3 - 1/1500 seconds	15 - 1/1500 sec
InfoLithium NP-FC10	Stamina Infolithium Battery	2 AA bat (incl)	4 x AA alkaline or Ni-MH batteries, AC power	Li-ion rechargeable battery (battery & char-
			adapter (optional)	ger supplied)
AV out	AV out		No	PAL / NTSC
USB	USB	USB/Secure Digital	USB 1.1	USB, Audio/Video output, Compact Flash type I
Windows / Mac	Windows / Mac	Win 98/ME/2000/XP & Mac OS	PC & Mac	Windows, MAC
		(9.1 or higher, X 10,1 or higher)		1 year carry-in
1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	www.canon.be
www.sony.be	www.sony.be	www.hp.be	http://home.fujifilm.com	Camera, wrist strap, AV cable, battery char-
Battery pack NP-F10, AC Power Adaptor AC-LM5, Power	Battery, AC Adapter,VIDEO connecting	16 MB Secure Digital Card, 2 AA Photo Lithium	FinePix S304, 16 MB xD-Picture Card, 4 x	ger CB-2LSE, AC cable, battery pack NB-1LH,
Cord, Video connecting cable, USB cable, Memory Stick	cable,USB cable, "Memory Stick"(16MB),	batteries, wrist strap, software CD, quick starter	AA-size alkaline batteries, Adapter ring,	NB-1LH terminal cap, interface cable IFC-
(16MB), CD-ROM, Wrist strap, USB cradle, Operating instruc-	Wrist strap,Pixel Image mixer v 1.0, USB	poster, user maual, USB-cable, Tiffen catalogue,	Shoulder Strap, USB Cable, CD-ROM	200PCU, 16MB CF-card, case for CF-card
tions, PIXELA Imagemixer 1,0, USB driver, Image transfer	Driver	accessories flyer, warranty card, dock insert		
Carl Zeiss Lens Distagon - USB cradle	***Multiburst - MPEG Movie HQX -***	***User friendley hp photo imaging software -***	***1. 6 x optical zoom***	***1. Compact design***
		60sec. video & sound recording - IST	***2. Possible to connect wide-angle***	***2. Direct print function***
		(e-mail/print/save) - with 16MB Secure	***and tele lens***	***3.High-performance Digic processor***
		Digital memory	***3. Portrait mode incl. sport - landscape, etc...***	








FUJI	NIKON	SONY	CANON	hp
FinePix F601 Zoom	**CoolPix 4300**	**DSC-P9**	**Powershot S30**	**PhotoSmart 850+ docking**
749 EUR	**749 EUR**	**757 EUR**	**793 EUR**	**799 EUR**
6 EUR	6 EUR	6 EUR	6 EUR	6 EUR
44748	18208900022	DSC-P9	7299A011	Q2192A
742800	779221	736926	740116	769382
3,3 mio pixels ; 6 mio pixels output	4,1 mio pixels	4.0 Megapixel	3,2 Megapixel (S30)	4,13 MP
Optical & LCD	Optical & LCD	Optical & LCD	Real-image zoom viewfinder	Optical
1,5" colour TFT with 110.000 pixels	1,5 inch colour TFT LCD, 110.000 pixels	1, 5" TFT LCD	1,8" TFT colour LCD	5 cm
16 MB	16 MB	16MB Memory Stick	16 MB CF card	16 MB via SD
Smartmedia Card	CompactFlash	Memory Stick	Compact Flash Type I & II	Secure Digital Card
1 - 33 (with 16 MB SmartMedia Card)	1-59 (with 16 MB Compact Flash)	10-240/16MB 20-488/ 32MB 40-983/64MB	S30: 2 per sec (max. 12)	
		80-1966/128MB		5-71
Still image : JPEG (Exif)	Still image : TIFF, JPEG / Movie picture :	JPEG, MPEG1, MPEG Movie EX, Clip Motion,	Still: JPEG or RAW Movie: AVI	JPEG & MPEG
Movie : AVI (Motion JPEG)"	QuickTime Motion JPEG	Voice Memo		
3 x optical zoom ; 4,4 x digital zoom	3 x optical zoom ; 4 x digital zoom	3x optical (6 x digital precision) zoom	3,2x (max. 10x digital zoom combined with	56x zoom: 8x optical - 7x digital zoom
		8-24mm (35mm conversion: 39-117mm)	optical zoom)	7,6/61 mm - 37/300 equivalent
36 - 108 mm	38 mm - 114 mm	AF: W:0,5m- infinity T:0,6m-infinity Macro	35-105mm	0,1m tot infinity
Normal : 60 cm - infinity ;	Standard : 30 cm - infinity ; Macro : 4 cm -	AF: W:0,1m-infinity T:0,6m-infinity	Normal: 80cm - infinity Manual: 10cm (W) /	
Macro : 20 cm - 80 cm"	infinity		30cm (T) - infinity - Macro: 10cm (W) /	
			30cm (T) - 80cm	
3 - 1/2000 seconds	1/1000 to 8 seconds	Auto	15 - 1/1500 sec	16 to 1/2000 sec
Rechargeable Lithium-ion battery NP-60, AC-	1 rechargeable Li-ion battery EN-EL1, 1 x 6V	Stamina Infolithium Battery	NB 2L Li-ion rechargeable battery and AC	4 AA bat (incl)
5V adapter (included)	2CR5/DL245 lithium battery, AC adaptor		adapter kit ACK 700 (NB-2L battery & battery	
	(optional)		charger are supplied)	
NTSC, PAL	NTSC/PAL	AV out	PAL / NTSC	-
USB	USB	USB	USB, Audio/Video output, Compact Flash type I & II	USB 2.0/SD + video/tv/pc via docking
PC & Mac	Windows & Mac	Windows / Mac	Windows, MAC	Win 98/ME/2000/XP - Mac OS 9,1 /X/10,1,2
1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
http://home.fujifilm.com	www.nikon.be	www.sony.be	www.canon.be	www.hp.be
FinePix F601 Zoom, 16 MB SmartMedia	CoolPix 4300, Lens Cap, Hand Strap, AV	Battery, AC Adapter,VIDEO connecting	Camera, wrist strap WS-300, battery pack	16 MB Secure Digital Card, 2 AA titanium
Card, Lithium-ion battery NP-60, Hand Strap,	Cable, 16 MB CompactFlash Card, USB Cable	cable,USB cable, "Memory Stick"(16MB),	NB-2L, terminal cap, battery charger CB-	batteries, wrist strap, software CD, quick
USB Cable, AC Power Adapter AC-5VHS/AC-	UC-E1, Rechargeable Li-ion battery EN-EL1,	Wrist strap,Pixel Image mixer v 1.0, USB	2LTE, AC cable, AV cable, interface cable IFC-	start poster, user maual, USB-cable, tiffen
5VS, CD-ROM	Battery Charger MH-53, Nikon View 5 CD-	Driver	300PCU, 16MB CF-card, case for CF-card	catalogue, accessories flyer, warranty card,
	ROM			dock insert + dockingstation C8881A
1. New generation Super CCD : 1600 iso -	***1. Multi AF system of 5 patterns***	***MPEG Movie HQX (with audio) - Even***	***1. Direct Print function with CP10/CP100***	***User friendley hp photo imaging software -***
pictures !	***2. Macro function of 4 cm***	***brightness picture***	***2. Movie mode & sound annotation***	***60sec. video & sound recording - IST***
2. 3X optical zoom and 4,4 x digital zoom	***3. Easy image tranfer to computer***		***3. Standard deliverd with 16 MB compact-***	***(e-mail/print/save) - with docking station -***
3. Competitive price			***flash card***	***a lot of professional manual controls***
4. Innovative : with build-in joystick				

				
	OLYMPUS	OLYMPUS	SONY	FUJI
MODEL	**C-730**	**C-4000**	**DSC-S85**	**FinePix M603**
PRICE EUR*	**799 EUR**	**799 EUR**	**810 EUR**	**820 EUR**
RECUPEL (incl.VAT)	6 EUR	6 EUR	6 EUR	6 EUR
PARTNR.	50332138537	50332138575	DSC-S85	45190
ARTNR.	779230	762915	621116	786189
CCD RESOLUTION	3,2 mio pixels	4,1 mio pixels	4.0 Megapixel	3,3 mio pixels ; 6,03 mio pixels output
VIEWFINDER	Optical & LCD	Optical & LCD	Optical & LCD	Optical & LCD
LCD MONITOR	3,81 cm colour TFT LCD, 114.000 pixels	4,5 cm colour TFT LCD, 114.000 pixels	1, 8" TFT LCD	2,5" colour TFT LCD, 118.000 pixels
MEMORY INCLUDED	16 MB	16 MB	16MB Memory Stick	16 MB
MEMORY TYPE	xD-Picture Card (compatible with xD-Picture Card, SmartMedia)	SmartMedia	Memory Stick	xD-Picture Card, CompactFlash, Microdrive
NUMBER OF IMAGES	1 - 165 (with 16 MB SmartMedia)	1 - 165 (with 16 MB SmartMedia)	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB	1 - 49 (with 16 MB xD-Picture Card)
FILE FORMAT	Still image : TIFF,JPEG,DPOF/ Motion picture : QuickTime Motion JPEG/ Sound : Wave format support	Still image : TIFF, JPEG, DCF, DPOF / Movie picture : QuickTime Motion JPEG	JPEG, MPEG, TIFF,GIF	Still image : JPEG (Exif Ver 2.2) Movie : AVI (Motion JPEG)"
DIGITAL/OPTICAL ZOOM	10 x optical zoom ; 3,5 x digital zoom	3 x optical zoom ; 3,5 x digital zoom	3x optical (6 x digital precision) zoom	2 x optical zoom ; 4,4 x digital zoom
LENS FOCAL LENGTH	38 mm - 380 mm	32 mm - 96 mm	7-21 (35mm conversion: 34-102mm)	38 - 76 mm
FOCUS DISTANCE	Standard Mode : 60 cm - infinity (wide), 2 m - infinity (tele) / Macro Mode : 10 cm - 60 cm (wide), 1,2 m - 2 m (tele) ; Super Macro : 4 cm	Standard : 80 cm - infinity ; Macro Mode : 20 cm - 80 cm ; Super Macro : 2 cm - 20 cm	AF: W:500mm- infinity T:0,6m-infinity Macro AF: W:40mm-infinity T:200mm-infinity	Normal : 60 cm - infinity ; Macro : 20 cm - 80 cm
SHUTTER SPEED	1 - 1/1000 seconds	16 - 1/1000 seconds	(8"-1/1000)	1/4 - 1/2000 seconds
POWER	4 x AA Ni-MH rechargeable batteries, 4 x AA Ni-Cd rechargeable batteries, 2 x lithium batteries LB-01 (CR-V3), 4 x AA lithium batteries, 4 x AA alkaline batteries, AC adaptor (optional)	4 x AA Ni-MH batteries, 4 x AA Ni-Cd rechargeable batteries, 2 x lithium batteries LB-01 (CR-V3), 4 x AA lithium batteries, 4 x AA alkaline batteries, AC adaptor (optional)	High Stamina Battery (supplied)	Rechargeable Lithium-ion battery NP-60 (included), Rechargeable Lithium-ion battery NP-120 (optional), AC-5V AC adapter (included)
VIDEO OUT	PAL	PAL	AV out	NTSC, PAL
INTERFACE	USB	USB	USB	USB 1.1
PLATFORM	Windows & Mac	Windows & Mac	Windows / Mac	PC & Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.olympus.be	www.olympus.be	www.sony.be	http://home.fujifilm.com
PACKAGE CONTENTS	16 MB xD-Picture Card, 2x CR-V3 batteries, USB Cable, Video Cable, Strap, Camedia Master 4.0.	16 MB Smart Media Card, 4x Alkaline batteries, USB Cable, Video Cable, Strap, Camedia Master 4.0, Photo Impact	Battery pack NP-FM50, AC Power Adaptor AC-L10, Power Cord, A/V connecting cable, USB cable, Memory Stick (16MB), CD-ROM, Operating instructions, Photo Suito 8.1, Photo Suite SE V1.1, VideoWave SE, USB Driver	FinePix M603, 16 MB xD-Picture Card, Li-ion battery NP-60, AC Power Adapter AC-5VHS/AC-5VS, Hand Strap, Handgrip, LCD monitor hood, USB Cable, AV Cable, CD-ROM
WHY BUY?	***1. 10 x optical zoom 2. High resolution electronic viewfinder 3. Preferred shooting set-ups in "My Mode"***	***1. All round camera 2. 6 pre-set scene programs 3. True Pic process for sharper images***	***Carl Zeis Vario lens - Built-in Microphone & speaker - MPOEG Movie/voice playback***	***1. Combination of digital camera and video 2. Very big TFT-monitor of 2,5" 3. Innovative design and concept 4. Dual media slots incl xD-card and MicroDrive***

				
	CANON	OLYMPUS	NIKON	SONY
MODEL	**Powershot G3**	**C-5050**	**CoolPix 5000**	**DSC-F717**
PRICE EUR*	**1.193 EUR**	**1.199 EUR**	**1.399 EUR**	**1.407 EUR**
RECUPEL (incl.VAT)	6 EUR	6 EUR	6 EUR	6 EUR
PARTNR.	8120A009	50332138223	18208899074	DSC-F717
ARTNR.	780353	779231	714051	770963
CCD RESOLUTION	4 Megapixel	5 mio pixels	5,24 mio pixels	5.0 Megapixel
VIEWFINDER	Real-image zoom viewfinder with dioptre correction	Optical & LCD	Optical & LCD	Optical & LCD
LCD MONITOR	1,8" TFT colour LCD	4,5 cm colour TFT LCD, 114.000 pixels	1,8 inch colour TFT LCD, 110.000 pixels	1, 8" TFT LCD
MEMORY INCLUDED	32MB CF card	32 MB	32 MB	32MB Memory Stick
MEMORY TYPE	Compact Flash Type I & II (Microdrive compatible)	xD-Picture Card (compatible with xD-Picture Card, SmartMedia, CompactFlash, Microdrive)	CompactFlash	Memory Stick
NUMBER OF IMAGES		1 - 331 (with 32 MB xD-Picture Card)	1 - 51 (with 32 MB CompactFlash)	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB
FILE FORMAT	Still: JPEG or RAW Movie: AVI	Still image : TIFF,JPEG,DPOF/ Motion picture : QuickTime Motion JPEG/ Sound : Wave format support	Still image : TIFF, JPEG, DCF, DPOF / Movie picture : QuickTime Motion JPEG	JPEG, MPEG1, TIFF,GIF, HQX
DIGITAL/OPTICAL ZOOM	3,6x (max. 14x digital zoom combined with optical zoom)	3 x optical zoom ; 3,3 x digital zoom	3 x optical zoom ; 4 x digital zoom	5x optical (10 x digital precision) zoom
LENS FOCAL LENGTH	35 - 140 mm	35 mm - 105 mm	28 mm - 85 mm	9,7-48,5mm (35mm conversion: 38-190mm)
FOCUS DISTANCE	Normal AF : 50 cm - infinity, macro AF: 5 cm (W), 15 cm (T) - 50 cm, manual focus : 5 cm (W), 15 cm (T) - infinity	Standard : 80 cm - infinity ; Macro: 20 cm - 80 cm ; Super Macro: up to 3 cm	Standard : 50 cm - infinity ; Macro: 2 cm - infinity	AF: W:500mm- infinity T:900mm-infinity Macro AF: W:20mm-infinity T:900mm-infinity
SHUTTER SPEED	15 - 1/2000 sec	4 - 1/1000 seconds (with mechanical shutter)	1/4000 - 8 seconds	Auto (30-1/2000)/Shutter priority (30-1/1000)/Manual (30-1/1000)
POWER	BP-511/BP-512 Li-ion rechargeable battery*, AC adapter* and car battery adapter (*BP-511 Li-ion rechargeable battery and AC adapter are supplied)	4 x AA Ni-MH batteries, 4 x AA Ni-Cd rechargeable batteries, 2 x lithium batteries LB-01, 4 x AA lithium batteries, 4 x AA alkaline batteries, AC adaptor (optional)	1 rechargeable Li-ion battery EN-EL1, 1 x 6V 2CR5/DL245 lithium battery, 6 x 1.5V LR6 (AA-size alkaline), 1.5V Lithium, 1.5V NiMH, 1.2V NiCd batteries with Power pack, AC adaptor (optional)	InfoLithium NP-FM-50
VIDEO OUT	PAL / NTSC	PAL	NTSC/PAL	AV out
INTERFACE	USB, Audio/Video output, Compact Flash type I & II	USB	USB	USB
PLATFORM	Windows, MAC	Windows & Mac	Windows & Mac	Windows / Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.canon.be	www.olympus.be	www.nikon.be	www.sony.be
PACKAGE CONTENTS	Camera, lens cap with string, neck strap NS-DC1, wireless controller WL-DC100, CR-2025 Lithium battery, battery pack BP-511, compact power adapter, AC cable, AV cable, interface cable IFC-300PCU, 32MB CF-card, case for CF-card	32 MB xD-Picture Card, USB Cable, Video Cable, 2 rechargeable batteries, Battery Charger, AC Cable for charger, Strap, Camedia Master 4.0, and Photo Impact	CoolPix 5000, Lens Cap, Neck Strap, AV cable, 32 MB CompactFlash Card, USB Cable, Rechargeable Li-ion battery EN-EL1, Battery Charger, Nikon View CD-ROM	Battery pack NP-FM50, AC Power Adaptor AC-L10, Power Cord, Audio/Video connecting cable, USB cable, Memory Stick (32MB), CD-ROM, Shoulder strap, Lens cap, Operating instructions, PIXELA Imagemixer 1,0, USB driver, Image transfer
WHY BUY?	***1. High-performance DIGIC processor 2. Choice of 12 shooting modes 3. Optional speedlite flash units and lens accessories***	***1. Bright High Quality 3x zoom lens 2. Tilting LCD Monitor 3. Hot Shoe for connecting an external flash***	***1. Quick Time Movie 2. Tilt LCD Display 3. Fast AF system, zoom lens and shutter speed***	***Carl Zeiss Lens Vario Sonnar - Rotating lens - Zoom Ring***

*streetprice incl VAT, excl Recupel

				
OLYMPUS	**CANON**	**NIKON**	**FUJI**	**Sony**
C-50	**Powershot S45**	**CoolPix 4500**	**FinePix S602 Zoom**	**MVC-CD400**
949 EUR	**963 EUR**	**999 EUR**	**1.059 EUR**	**1.190 EUR**
6 EUR	6 EUR	6 EUR	6 EUR	6 EUR
50332137967	8117A009	18208899388	44883	733852
779232	772428	756397	746823	MVC-CD400
5 mio pixels	4 Megapixel	4,13 mio pixels	3,3 mio pixels ; 6,03 mio pixels output	4,1 Mega pixel
Optical & LCD	Real-image zoom viewfinder	Optical & LCD	Optical & LCD	LCD
3,81 cm colour TFT LCD, 134.000 pixels	1,8" TFT colour LCD	1,5 inch colour TFT LCD, 110.000 pixels	1,8" low temp. colour TFT, 110.000 pixels	2,5" TFT LCD
32 MB	32MB CF card	16 MB	16 MB	8cm CD-R/RW
xD-Picture Card	Compact Flash Type I & II (Microdrive compatible)	CompactFlash (compatible with CompactFlash Card, Microdrive)	SmartMedia Card / CompactFlash / Microdrive	8cm CD-R/RW
2 - 199 (with 32 MB xD-Picture Card)		1 - 59 (with 16 MB CompactFlash)	1 - 275 (with 128 MB SmartMedia Card)	
Still image : EXIF 2.2 TIFF, PIM (non-compressed), EXIF 2.2 JPEG, DCF/ Movie picture : QuickTime Motion JPEG	Still: JPEG or RAW Movie: AVI	Still image : TIFF, JPEG, DCF / Movie picture : QuickTime Motion JPEG	Still image : JPEG (Exif), TIFF-RGB Movie : AVI (Motion JPEG)"	JPEG, MPEG1, TIFF,GIFF, Clipmotion
3 x optical zoom ; 5 x digital zoom	3,6x (max. 11x digital zoom combined with optical zoom)	4 x optical zoom ; 4 x digital zoom	6 x optical zoom ; 4,4 x digital zoom	3x optical / 6x Precision digital zoom
38 mm - 114 mm	35-105mm	38 mm - 155 mm	35 - 210 mm	7-12mm (35mm conversion: 34-102mm)
Standard : 50 cm - infinity ; Macro Wide : 20 cm - 50 cm ; Macro Tele : 30 cm - 50 cm	Normal AF : 50 cm - infinity, macro AF: 10 cm (W), 30 cm (T) - 50 cm, manual focus : 10 cm (W), 30 cm (T) - infinity	Standard : 30 cm - infinity ; Macro : 2 cm - infinity	Normal : 50 cm - infinity ; Macro : 10 cm - 80 cm ; Super Macro : 1 cm - 20 cm"	AF:500mm-infinity Macro AF:W:40mm-infinity T:200mm-infinity
1/2 - 1/1000 seconds	15 - 1/1500 sec	1/2300 - 8 seconds	15 - 1/10000 seconds	8-1/1000 sec
Lithium-Ion rechargeable battery LI-10B, AC power adaptor D-7AU (optional)	NB 2L Li-ion rechargeable battery and AC adapter kit ACK 700 (NB-2L battery & battery charger are supplied)	1 rechargeable Li-ion battery EN-EL1, 1 x 6V 2CR5/DL245 lithium battery, AC adaptor (optional)	4 AA alkaline batteries (included), 4 AA type Ni-MH batteries, AC Power Adapter AC-5VH/5VHS (optional)	Infolithuim type M Battery
PAL	PAL / NTSC	NTSC/PAL	NTSC, PAL	AV out
USB	USB, Audio/Video output, Compact Flash type I & II	USB	USB	USB
Windows & Mac	Windows, MAC	Windows & Mac	PC & Mac	Windows /Mac
1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year Carry-in
www.olympus.be	www.canon.be	www.nikon.be	http://home.fujifilm.com	www.sony.be
32 MB xD-Picture Card, USB Cable, Video Cable, One Lithium-ion rechargeable battery, Battery Charger, AC Cable for charger, Remote Controller, Strap, Camedia Master 4.0 and Photo Impact	Camera, wrist strap WS-300, battery pack NB-2L, NB-2L terminal cap, battery charger CB-2LTE, AC cable, AV cable, interface cable IFC-300PCU, 32MB CF-card, case for CF-card	CoolPix 4500, Lens Cap, Neck Strap, AV Cable, 16 MB CompactFlash Card, USB Cable UC-E1, Rechargeable Li-ion battery EN-EL1, Battery Charger MH-53, Nikon View 5 CD-ROM	FinePix S602 Zoom, 16 MB SmartMedia Card, 4 AA type alkaline batteries, Shoulder Strap, Lens Cap, Lens Cap Holder, AV Cable, USB Cable, CD-ROM	Battery, AC poweradaptor, Power cord, A/V connecting cable, USB cable, 8cm CD-R, 8cm CD-RW, CD-ROM, Operating instructions, Pixela ImageMixer v 1,0, Shoulderstrap and lens cap
1. Compact fully-metallic body 2. Large creative possibilities. 3. Moving pictures in Quick Time	***1.High-performance Digic processor 2.FlexiZone AF/AE and intelligent orientation sensor 3.Direct print/Exif print***	***1. Multi AF system of 5 patterns 2. Built-in pop-up flash 3. Small picture function"***	***1. Storage : SmartMedia and CF / Microdrive 2. Connection possibility : external flash & wide-angle or tele-objectif 3. Supermacro function till 1cm***	***Carl Zeiss Vario Sonnar lens - 14 bit DXP - CD-RW***

			
NIKON	**OLYMPUS**	**OLYMPUS**	**FUJI**
CoolPix 5700	**E-10**	**E-20P**	**FinePix S2 Pro**
1.699 EUR	**1.999 EUR**	**2.475 EUR**	**2.959 EUR**
6 EUR	6 EUR	6 EUR	6 EUR
18208899456	13145	50332135246	44860
756398	567093	713415	746824
5,24 mio pixels	4 mio pixels	5,24 mio pixels	6,17 mio pixels (Super CCD)
Optical & LCD	Optical & LCD	Optical & LCD	Optical & LCD
1,5 inch colour TFT LCD, 110.000 pixels	4,5 cm colour TFT LCD, 118.000 pixels	4,5 cm colour TFT LCD, 118.000 pixels	1,8" low temp. colour TFT, 117.600 pixels
32 MB	16 MB	16 MB	-
CompactFlash	SmartMedia (compatible with SmartMedia, CompactFlash)	SmartMedia (compatible with SmartMedia, CompactFlash, Microdrive)	SmartMedia Card / Microdrive
1 - 51 (with 32 MB CompactFlash)	1 - 148 (with 16 MB SmartMedia Card)	1 - 49 (with 16 MB)	-
Still image : TIFF, JPEG, DCF, DPOF / Movie picture : QuickTime Motion JPEG	Still image : TIFF, JPEG, DCF, DPOF, RAW Data	TIFF/JPEG/DPOF	JPEG (Exif Ver. 1.0 to 2.2)/ DPOF compatible/ TIFF-RGB/CCD-Raw
8 x optical zoom ; 4 x digital zoom	4 x optical zoom	4 x optical zoom	-
35 mm - 280 mm	35 mm - 140 mm	35 mm - 140 mm	Interchange. Lens SLR-type
Standard : 50 cm - infinity ; Macro : 3 cm - infinity	Standard : 60 cm - infinity ; Macro Mode : 20 cm - 60 cm	Standard : 60 cm - infinity ; Macro : 20 cm - 60 cm	-
1/4000 - 8 seconds	8 - 1/640 seconds	1/18000 seconds high-speed shutter	30 - 1/4000 seconds
1 x Li-ion battery EN-EL1, 1 x 6V 2CR5/DL245 lithium batterie, 6 x 1.5V LR6 AA batteries, Battery Pack MB-E5700, AC adaptor (optional)	Lithium battery pack CR-V3 x 2, AA nickel metal-hydride batteries x 4, AA NiCd batteries x 4, Exclusive lithium polymer battery, Exclusive AC adaptor	Lithium battery pack CR-V3 x 2, AA nickel metal-hydride batteries x 4, AA NiCd batteries x 4, AA alkaline-manganese batteries x 4, Lithium polymer battery (optional), AC adaptor (optional)	4 x AA type batteries : Alkaline, Ni-MH batteries/ AC power adapter, 2 x 3V Lithium batteries : CR123A or DL123A
NTSC/PAL	PAL	PAL	No
USB	USB	USB	USB for data storage, IEEE1394 for data storage and shooting
Windows & Mac	Windows & Mac	Windows & Mac	PC & Mac
1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
www.nikon.be	www.olympus.be	www.olympus.be	http://home.fujifilm.com
CoolPix 5700, 32 MB CompactFlash Card, Lens Cap LC-CP10, Camera Strap, AV Cable, USB Cable UC-E1, Rechargeable Li-ion Battery EN-EL1, Battery Charger MH-53, Nikon View 5 CD-ROM	16 MB Smart Media Card, Camedia Master 2.5, Remote Control RM-1, 2 Lithium batteries LB-01, Lens Cap, Video Cable, USB Cable, Strap.	16 MB Smartmedia Card, Camedia Master 2,5, Camedia Suite, Remote Control RM-1, 2 Lithium Batteries LB-01, Lens Cap, Lens Hood, Video Cable, USB Cable, Strap	FinePix S2 Pro, USB Cable, IEEE1394 Cable, Video Cable, Shoulder Strap, Body Cap, Eye Piece Cap, LCD Cover, 4 x AA alkaline batteries, 2 x CR123A Lithium batteries, Owner's manual, Software Installation Manual, CD-ROM
1. 8x Optical Zoom 2. Tilting LCD Monitor 3. Electronic view finder	***1. Super Fast Shutter Speeds 2. Optical SLR View finder 3. Aluminium body***	***1. Super Fast Shutter Speeds 2. Optical SLR View finder 3. Aluminium body***	***1. Pixel output : 12 mio pixels ! 2. Build upon the Nikon F80 body 3. Save your files in ccd-raw mode***






	CANON	SONY	SONY	SONY
MODEL	**DM-MV500(i)**	**DCR-TRV16**	**DCR-TRV240**	**DCR-TRV18**
PRICE EUR*	**DM-MV500: 843 EUR EURDM-MV500i: 943 EUR**	**922 EUR**	**945 EUR**	**1.025 EUR**
RECUPEL (incl.VAT)	6 EUR	6 EUR	6 EUR	6 EUR
PARTNR	DM-MV500: 7561A011 DM-MV500i: 7560A013	DCR-TRV16	DCR-TRV240	DCR-TRV18
ARTNR.	DM-MV500: 764542 DM-MV500i: 764543	719393	719391	719394
IMAGE SIZE	MiniDV	Mini DV	Digital 8	Mini DV
CCD (PIXELS GROSS)	1/6" interlace, 340000 pixels	800K pixel CCD	800K pixel	800K pixel CCD
LCD MONITOR	2.5"	2,5" Colour LCD	2,5" Colour LCD	2,5" Colour LCD
OPTICAL/DIGITAL ZOOM	18x/360x	10xoptical / 120x digital zoom	25xoptical / 700xdigital zoom	10xoptical / 120x digital zoom
MEMORY MODE	-			Memory Stick
PHOTO MODE	-	Yes (no interlace)	Yes (interlace)	Yes (no interlace)
STEADY SHOT	Electronic image stabilizer	Electronic Super Steady Shot	Electronic	Electronic Super Steady Shot
AUDIO	PCM Digital Stereo 16bit-48kHz 2ch 12bit-32kHz 4ch	PCM (12-16bit)	PCM (12-16bit)	PCM (12-16bit)
SPECIAL FEATURES	DV-out and (MV-500i; only) DV-in + USB	DV out	DV in/out	DV out
INTERFACE	IEEE-1394	i-Link & USB	i-Link & USB	i-Link & USB
PLATFORM	W95/98/M + Mac	Windows / Mac	Windows / Mac	Windows / Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.canon.be	www.sony.be	www.sony.be	www.sony.be
PACKAGE CONTENTS		Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, USB driver, USB cable, ImageMixer, CRM CD Rom	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, 21pin adaptor, Lens Cap, Shoulder strap, USB driver, USB cable, Pixela IMageMixer ver 1.0	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, 8MB
WHY BUY?	*1. High performance canon lens 2. Analogue digital converter 3.Improved design 4. DV input/output for "i" version*	*Carl Zeis lens - Super Noght Shot / Colour*	*High Stamina Battery - DV in/out - USB Streaming*	*MemoryStick, USB driver, USB cable, ImageMixer, CRM CD Rom MemoryStick - MPEG Movie EX*










	SONY	CANON	SONY	SONY
MODEL	**DCR-PC101**	**DM-MVX2i**	**DCR-PC120**	**DCR-TRV50**
PRICE EUR*	**1.800 EUR**	**1.993 EUR**	**2.088 EUR**	**2.152 EUR**
RECUPEL (incl.VAT)	6 EUR	6 EUR	6 EUR	6 EUR
PARTNR.	DCR-PC101	7934A008	DCR-PC120	DCR-TRV50
ARTNR.	743209	780399	679422	737062
IMAGE SIZE	Mini DV	MiniDV	Network Mini DV	Mini DV
CCD (PIXELS GROSS)	1,070K pixel CCD	1/4" interlace, 1230000 pixels	1.550K pixel CCD	1/4" 1,5Megapixel CCD(1.550K pixel)
LCD MONITOR	2,5" Colour LCD	2.5"	2,5" Colour LCD	3,5 Colour LCD / Touch panel operation
OPTICAL/DIGITAL ZOOM	10xoptical / 120x digital zoom	10x/200x	10xoptical / 120x digital zoom	10xoptical / 120x digital zoom
MEMORY MODE	Memory Stick	Multimedia card / SD Card	Memory Stick	Memory Stick
PHOTO MODE	Yes (No interlace)	super mode night	Yes (interlace)	Yes (interlace)
STEADY SHOT	Electronic Super Steady Shot	Electronic image stabilizer	Electronic Super Steady Shot	Electronic Super Steady Shot
AUDIO	PCM (12-16bit)	PCM Digital Stereo 16bit-48kHz 2ch 12bit-32kHz 4ch	PCM (12-16bit)	PCM (12-16bit)
SPECIAL FEATURES	DV in/out		DV in/out	DV in/out
INTERFACE	i-Link & USB	USB	i-Link	i-Link & USB
PLATFORM	Windows / Mac	W95/98/M + Mac	Windows / Mac	Windows / Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.sony.be	www.canon.be	www.sony.be	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, 21pin adaptor, Lens Cap, 8MB Memory Stick, USB driver, USB cable, Pixela IMageMixer ver 1.0, Cleaning cloth for LCD	body, lens cap/cord, lens hood, SD memory card, softcase for mem.card, lithium battery, wireless controller, AA batteries, compact power adapter, AC cable, battery pack, stereo/video cable, scart adapter, interface cable, digital video solution disk, manual	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, 21pin adaptor, Lens Cap, 8MB Memory Stick, USB driver, USB cable, PhotoSuite, VideoWave	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, 21 pin adapter, Lens Cap, 8MB MemoryStick, USB driver, USB cable, ImageMixer, Stylus, Cleaning cloth for LCD
WHY BUY?	*USB Streaming - Carl Zeiss lens - Super Night Shot*	*1. Sophisticated, compact 2. Easy-to-use features 3. PC connection kit (including Motion JPEG and still image solution disk)*	*Movie MPEG - Bleutooth - Carl Zeiss lens*	*Network function - web browser - Bluetooth*

*streetprice incl VAT, excl Recupel



				
SONY	**CANON**	**CANON**	**SONY**	**SONY**
DCR-TRV740	**DM-MV550i**	**DM-MV5/-5i/-5i MC**	**DCR-PC8**	**DCR-TRV25**
1.125 EUR	**1.243 EUR**	**(DM-MV5) 1.293 EUR (DM-MV5i) 1.393 EUR (DM-MV5i MC) 1.593 EUR**	**1.421 EUR**	**1.423 EUR**
6 EUR	6 EUR	6 EUR	6 EUR	6 EUR
DCR-TRV740	7558A012	7804010 (DM-MV5) ; 7805A012 (DM-MV5i) ; 7803A009 (DM-MV5i MC)	DCR-PC8	DCR-TRV25
717972	764544	773082 (DM-MV5) ; 773084 (DM-MV5i) ; 773085 (DM-MV5i MC)	737034	719395
Digital 8	MiniDV	MiniDV	Mini DV	Mini DV
1.070K Megapixel CCD	1/6" interlace, 340000 pixels	1/6" interlace, 420000 pixels	800K pixel CCD	1/4" 7 Megapixel CCD(1.070K pixel)
2,5" Colour LCD	2.5"	2.0"	2,5" Colour LCD	2,5" Colour LCD
15xoptical / 420 digital zoom	22x/440x	10x/200x	10xoptical / 120x digital zoom	10xoptical / 120x digital zoom
Memory Stick	Multimedia card / SD Card			Memory Stick
Yes (interlace)	M. night,M.photo	M Xga 800Ko	Yes (interlace)	Yes (no interlace)
Electronic	Electronic image stabilizer	Electronic image stabilizer	Electronic Super Steady Shot	Electronic Super Steady Shot
PCM (12-16bit)	PCM Digital Stereo 16bit-48kHz 2ch 12bit-32kHz 4ch	PCM Digital Stereo 16bit-48kHz 2ch 12bit-32kHz 4ch	PCM (12-16bit)	PCM (12-16bit)
DV in/out	DV-out and (MV-550i; only) DV-in + USB		DV in/out	DV in/out
i-Link & USB	IEEE-1394		i-Link & USB	i-Link & USB
Windows / Mac	W95/98/M + Mac	W95/98/M + Mac	Windows / Mac	Windows / Mac
1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
www.sony.be	www.canon.be	www.canon.be	www.sony.be	www.sony.be
Ac adaptor, Battery, Wireless remote commander, Stereo AV cable, 21pin adaptor, 8MB Memory Stick, Lens Cap, Shoulder strap, USB driver, USB cable, Pixela IMageMixer ver 1.0		body, lens cap/cord, lithium battery, wireless controller, AA batteries, compact power adapter, AC cables, battery pack, terminal cap, battery charger (interface cable, 8M SD mem. Card, softcase for mem. Card only with MV5iMC), stereo/video cable, scart adapter, digital video solution disk, manual	Ac adaptor, Battery, Wireless remote commander, Stereo AV cable, 21pin adaptor, Lens Cap, USB driver, USB cable, PhotoSuite, VideoWave	Ac adaptor, Battery, Wireless remote commander, Stereo AV cable, Lens Cap, 8MB
DV in/out - 1,070 Megapixel CCD - High Stamina Battery	***1. PC connection kit (USB cable + Digital Video Solution Disk) 2. MultiMediaCard slot + MultiMediaCard of 8 MB 3. Advanced Accessory Shoe to install different optional accessories***	***1. Lightweight 2. Stylish design***	***DV in/out - USB Streaming - Carl Zeiss lens***	***MemoryStick, USB driver, USB cable, ImageMixer, CRM CD Rom DV in/out - MPEG Movie EX - Mega Handycam***


			
SONY	**SONY**	**CANON**	**CANON**
DCR-IP55	**DCR-IP220**	**DM-XM2**	**DM-XL1S**
2.301 EUR	**2.503 EUR**	**3.393 EUR**	**4.693 EUR**
6 EUR	6 EUR	6 EUR	6 EUR
DCR-IP55	DCR-IP220	7921A007	7047A006
737105	768345	780355	764546
MICROMV	MICROMV	MiniDV	MiniDV
1,070K pixel CCD	1/3, 6" 2 Megapixel CCD	3x 1/4" 3CCD pixel shift ; 440000 x 3	300 000
2,5" Colour LCD / Touch Panel	2,5" Colour LCD / Touch Panel	2.5"	
10xoptical / 120x digital zoom	10xoptical / 120x digital zoom	20x/100x	16x/32x
Memory Stick	Memory Stick	Multimedia card / SD Card	
Yes	Yes		
Electronic Super Steady Shot	Electronic Super Steady Shot	Electronic image stabilizer	Optical Image Stabilizer
MPEG1 Audio Layer 2	MPEG1 Audio Layer 2	PCM Digital Stereo 16bit-48kHz 2ch	PCM Digital Stereo 16bit-48kHz 2ch
Bluetooth	Bluetooth	12bit-32kHz 4ch	12bit-32kHz 4ch
i-Link (MicroMV in/out)	i-Link (MicroMV in/out)	Fluorite lens system	DV-out and DV-in
		USB	IEEE-1394
Windows	Windows	W95/98/M + Mac	W95/98/M + Mac
1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
www.sony.be	www.sony.be	www.canon.be	www.canon.be
Ac adaptor, Battery, Wireless remote commander, Lens Cap, List Strap, Memory Stick 8MB, USB driver, USB cable, Image Mixer, Stylus, cleaning cloth for LCD	Ac adaptor, Battery, Wireless remote commander, Lens Cap, List Strap, Memory Stick 8MB, USB driver, USB cable, Image Mixer, Stylus, cleaning cloth for LCD	body, lens hood, large eye cup, lithium battery, wireless controller, AA batteries, stereo/video cable, S-video cable, interface cable, shoulder strap, compact power adapter, AC cable, DC coupler, battery pack, 8MB SD card, softcase for mem. card, scart adapter, video solution disk, manual	
Carl Zeis lens - Super Night Shot - Bluetooth	***Zoom Ring - Carl Zeis lens - Super Night Shot - Bluetooth***	***1. High-performance DV 2. Fluorite lens system -> exceptional sharpness 3. Many manual adjustments***	***1. Broadcast quality Digital camcorder 2. 1/3" 3 CCD 3. XL interchangeable lens system***

				
	hp	**CANON**	**CANON**	**EPSON**
MODEL	**ScanJet 2300c**	**LiDE 20**	**D1250U2/D1250U2F**	**Perfection 1260 (Photo)**
PRICE EUR*	**90 EUR**	**97 EUR**	**D1250U2: 107 EUR** **D1250U2F: 217 EUR**	**110 EUR** **140 EUR(Photo)**
RECUPEL (incl.VAT)	2,00 EUR	2,00 EUR	-	2,00 EUR
PARTNR.	Q2957A	FS4000US	D1250U2: 7499A003 - D1250U2F: 7500A003	B11B154181 - Photo: B11B154191
ARTNR.	759707	760242	D1250U2: 716789 - D1250U2F: 716861	764280 - Photo: 764281
SCANNER TYPE	A4 Flatbed colorscanner	Desktop Colour Flatbed scanner	Flatbed Scanner	A4 flatbed, single pass image scanner
RESOLUTION OPTICAL	600x600dpi	600 x 1200 dpi	1200 x 2400 dpi	1200 x 2400 dpi
RESOLUTION INTERPOLATED	unlimited enhanced	25 - 9600 dpi	25 - 9600 dpi	9600 dpi
COLOR DEPTH	48-bit	42-bit input/24-bit output	48-bit input/24-bit output	Kleur : 16 bit in, 8 bit out ; Grijswaarden : 16 bit in, 8 bit out
SCANNING AREA	216 x 297 mm	A4/Letter, 216 x 297 mm (8,5” x 11,7”)	Document: A4/Letter 216mm x 297mm (8.5” x 11.7”)	216 mm x 297 mm (max)
SCANNING SPEED	<49s for 10x15cm photo into Word <75s for page of text into Word	16 msec/line (600 dpi) in colour - 5,3 msec/line (600 dpi) grey/black-white * Scan time only, data transfer time not included	Colour (USB 2.0)* 4 msec/line (600dpi) 8 msec/line (1200dpi) - Colour (USB 1.1)* 16 msec/line (600dpi) 32 msec/line (1200dpi) Greyscale (USB 2.0)* 4 msec/line (600 dpi) 8 msec/line (1200 dpi) B/W (USB 1.1)* 8 msec/line (600dpi, 1200dpi) Film (USB 2.0/1.1)* 12.2-170.8 msec/line *Transfer time to computer not included.	Monochrome : 32 msec/line ; Colour : 32 msec/line
INTERFACE	USB (cable included)	USB 2.0 Full Speed	USB 2.0 (USB 1.1 compatible)	USB 1.1 (Equivalent to USB 2.0 Full Speed)
OS	W98/Me/2000/XP	PC : Win 98, 2000, Pro, ME, XP - Mac : Mac OS 9 or higher/10.1 or higher (classic & native* mode) *Mac native mode supported in ScanGear CS driver only	PC: Windows 98 (USB 1.1 only), 2000, ME, XP	Microsoft Win 98/Me/2000/Professional/XP Home Edition/XP Professional; Mac OS 8.6 to 9.X, Mac OS X 10.1.2 or later Classic Mode
FEATURES	2-button: scan & copy	3 “EZ”-buttons (scan/copy/email), no AC-adapter, Z-lid makes books & magazines as easy to scan as single sheet of paper	D1250U2F: film unit built-in	Photo version with built-in 35mm trans-parancy unit
SOFTWARE	CD-ROM with hp photo & imaging software with integrated OCR for Windows/HP Copy Utility	Canon’s Scangear CS-U (Win) en plug-in module (Mac) * Arcsoft PhotoStudio 2000 (PC/Mac) for editing images * Omnipage SE OCR (PC/Mac) for optical character recognition	Windows: ScanSoft OmniPage; PhotoRecord; ScanGear CS-U; ScanGear Toolbox; ArcSoft PhotoBase; Adobe PhotoShop Elements	EPSON Twain driver, Presto OCR, ARCsoft Photoimpression
OPTIONS	3 year warranty On-Site			
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.hp.be	www.canon.be	www.canon.be	www.epson.be
WHY BUY?	***ease of use hp photo & imaging software - scan-to-button via scan & copy***	***1.Stylish design 2. 3 “EZ” buttons for scan/copy/email 3. Advanced Z-lid makes scanning of books/magazines easy***	***1. USB 1.1 & USB 2.0 compatible I 2. U2F version : built-in film adapter unit for 35mm positive/negative film scans 3. Qare-technology (removes dust on your photo’s)***	***1. New design 2. User-friendly full auto mode simpli-fies and automates advanced scanning tasks 3. PRINT Image Matching Technology for brighter, more vibrant prints from your film scans***


				
	CANON	**EPSON**	**EPSON**	**CANON**
MODEL	**CanoScan 5000F**	**Perfection 1660 Photo**	**Perfection 2400 Photo**	**CanoScan 8000F**
PRICE EUR*	**237 EUR**	**250 EUR**	**295 EUR**	**307 EUR**
RECUPEL (incl.VAT)	-	-	-	-
PARTNR.	7879A003	B11B153027	B11B152027	8131A003
ARTNR.	768678	764282	764283	768680
SCANNER TYPE	Desktop Colour Flatbed Film scanner	A4 flatbed, colour image scanner, single pass scanning	A4 flatbed, colour image scanner, single pass scanning	Desktop Colour Flatbed Film scanner
RESOLUTION OPTICAL	2400 x 4800 dpi	1600 x 3200 dpi	2400 x 4800 dpi	2400 x 4800 dpi
RESOLUTION INTERPOLATED	25 - 9600 dpi	12800 dpi	12800 dpi	25 - 9600 dpi
COLOR DEPTH	48-bit input/48-bit output	48 bit in/out	48 bit in/out	48-bit input/48-bit output
SCANNING AREA	A4/Letter, 216 x 297 mm (8,5” x 11,7”)	216 mm x 297 mm (max)	216 mm x 297 mm (max)	A4/Letter, 216 x 297 mm (8,5” x 11,7”)
SCANNING SPEED	7,2 msec/line (1200 dpi) 11,6 msec/line (2400 dpi) in colour 7,2 msec/line (1200 dpi) 11,6 msec/line (2400 dpi) in grey/black-white 7,2-115,2 msec/line in film	Monochrome : 2 msec/line; Colour : 8 msec/line	Monochrome: 2,6 msec/line; Colour : 11,0 msec/line	10,8 msec/line (1200/2400 dpi) in colour, grey, black/white 5,4-172,8 msec/line in film
INTERFACE	USB 2.0 High Speed	USB 2.0 Hi-Speed and Full Speed mode, USB 1.1 compatible	USB 2.0 Hi-Speed and Full Speed mode, USB 1.1 compatible	USB 2.0 High Speed
OS	PC : Win 98, 2000, Pro, ME, XP Mac : Mac OS 9 or higher/10.1 or higher (classic & native* mode) *Mac native mode supported in ScanGear CS driver only	Microsoft Win 98/Me/2000/Professional/XP Home Edition/XP Professional ; Mac OS 8.6 to 9.X, Mac OS X 10.1.2 or later Classic Mode	Microsoft Win 98/Me/2000/Professional/XP Home Edition/XP Professional ; Mac OS 8.6 to 9.X, Mac OS X 10.1.2 or later Classic Mode	PC : Win 98, 2000, Pro, ME, XP Mac : Mac OS 9 or higher/10.1 or higher (classic & native* mode) *Mac native mode supported in ScanGear CS driver only
FEATURES	Film handling : negative & positive ; 35 mm film (batch scanning up to 3 frames), positi-ve slide mount x 2. Features : Canon FARE* level 1 *Film image automatic retouching & enhancement technology	Built-in 35mm x 6 frame transparancy unit (optional 5” x 4” film adapter)	Built-in 35mm x 6 frame transparancy unit (optional 5” x 4” film adapter)	Film handling : negative & positive ; 35 mm film (batch scanning up to 12 frames), positi-ve slide mount x 4. Features : Canon FARE* level 1 *Film image automatic retouching & enhancement technology
SOFTWARE	ArcSoft PhotoStudio, PhotoBase, ScanSoft OmniPage SE for OCR	EPSON Twain driver, ARCSoft Photoimpression	EPSON Twain driver, TET, AAS, Adobe Photoshop elements	ArcSoft PhotoStudio, PhotoBase, ScanSoft OmniPage SE for OCR, Adobe Photoshop Elements & Canon PhotoRecord
OPTIONS			Smart panel options : Copy, scan to email, scan to OCR, Photo Print, Scan to application, Scan for creativity, scan to web	
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.canon.be	www.epson.be	www.epson.be	www.canon.be
WHY BUY?	***1. FARE Level 1 dust & scratch removal technology 2. Integrated film adapter scans up to 3 frames of 35mm film in one pass 3. Powerful Canon “fast multi photo mode” `scans many photos in one***	***1. New Design 2. Full auto mode with user friendly features including Auto Skew correc-tion 3. USB 2.0 High Speed for fast scans***	***1. Intelligent Twain driver automatically straightens & crops your photos 2. USB 2.0 High Speed for fast scans***	***1. Scanner for the professional 2. Slim-line integrated FAU scans up to 12-35mm negatives in one pass 3. FARE Level 1 dust & scratch removal technology***

streetprice incl VAT, excl Recupel

				
hp	CANON	hp	hp	hp
ScanJet 3500c	**LiDE 30**	**ScanJet 3530c**	**ScanJet 3570c**	**ScanJet 4500c**
119 EUR	**143 EUR**	**149 EUR**	**199 EUR**	**229 EUR**
2,00 EUR	2,00 EUR	2,00 EUR	2,00 EUR	2,00 EUR
Q2807A	7890A003	Q2907A	Q2707A	C9917A
749264	760267	749265	749266	768235
A4 Flatbed Colorscanner	Desktop Colour Flatbed scanner	A4 Flatbed Colorscanner	A4 Flatbed Colorscanner	A4 Flatbed Colorscanner
1200x1200dpi	1200 x 2400 dpi	1200x1200dpi	1200x1200dpi	2400x2400dpi
9600x9600dpi	25 - 9600 dpi	9600x9600dpi	9600x9600dpi	unlimited enhanced
48 bit	42-bit input/24-bit output	48 bit	48 bit	48 bit
216x297 mm	A4/Letter, 216 x 297 mm (8,5" x 11,7")	216x297 mm	216x297 mm	216x297 mm
<38 sec for 10x15cm photo into Word - <50sec for page of text into Word	16 msec/line (600 dpi), 32 msec/line (1200 dpi) in colour - 5,3 msec/line (600 dpi), 10,6 msec/line grey/black-white * Scan time only, data transfer time not included	<38 sec for 10x15cm photo into Word - <50sec for page of text into Word	<38 sec for 10x15cm photo into Word - <50sec for page of text into Word	<28sec for 10x15cm photo into Word - <48 sec for page of text into Word
USB (cable included)	USB 2.0 Full Speed	USB (cable included)	USB (cable included)	USB 2.0 (cable included)
W98/Me/2000/XP - Mac 9.1 and higher/X/10.1 and higher	PC : Win 98, 2000, Pro, ME, XP Mac : Mac OS 9 or higher/10.1 or higher (classic & native* mode) *Mac native mode supported in ScanGear CS driver only	W98/Me/2000/XP Mac 9.1 and higher/X/10.1 and higher	W98/Me/2000/XP Mac 9.1 and higher/X/10.1 and higher	W98/Me/2000/XP - Mac 9.1 and higher/X/ 10.1 and higher
3-button: scan - copy - e-mail	3 "EZ"-buttons (scan/copy/email), no AC-adapter, Z-lid makes books & magazines as easy to scan as single sheet of paper	4-button: scan - copy - e-mail - hp memories disk creator	4-button: scan - copy - e-mail - hp memories disk creator & built-in illuminated adapter for 35mm slides/negatives	5-button: scan - copy - e-mail - share-to-web - copy center
CD-ROM with hp photo & imaging software with integrated OCR for Windows (Mac = Readiris)/hp share-to-web software/Hemera Jigsaw Puzzler & CD Designs Creator (Windows only)	*Canon's Scangear CS-U (Win) en plug-in module (Mac) * Arcsoft PhotoStudio 2000 (PC/Mac) for editing images * Omnipage SE OCR (PC/Mac) for optical character recognition	CD-ROM with hp photo & imaging software with integrated OCR for Windows (Mac = Readiris)/hp share-to-web software/Hemera Jigsaw Puzzler & CD Designs Creator (Windows only)	CD-ROM with hp photo & imaging software with integrated OCR for Windows (Mac = Readiris)/hp share-to-web software/Hemera Jigsaw Puzzler & CD Designs Creator (Windows only)	CD-ROM with hp photo & imaging software with integrated OCR for Windows (Mac = Readiris)/hp share-to-web software/copy utility/ScanSoft PaperPort LE
3 year warranty On-Site/ Transparency adapter		3 year warranty On-Site/ Transparency adapter	3 year warranty On-Site	3 year warranty On-Site/ADF A4/transparency adapter
1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
www.hp.be	www.canon.be	www.hp.be	www.hp.be	www.hp.be
ease of use hp photo& imaging software - 3 scan-to-buttons	***1.Stylish design 2. 3 "EZ" buttons for scan/copy/email 3. Advanced Z-lid makes scanning of books/magazines easy***	***ease of use hp photo & imaging software - 4 scan-to-buttons - hp memories disk creator***	***ease of use hp photo & imaging software - 4 scan-to-buttons - hp memories disk creator - built in transparency adapter***	***ease of use hp photo & imaging software - 5 scan-to-buttons - hp memories disk creator - copier like format for comfort scannings***

				
hp	hp	EPSON	hp	hp
ScanJet 5500c	**ScanJet 5550c**	**Perfection 2450Photo**	**ScanJet 7400c**	**ScanJet 7450c**
399 EUR	**469 EUR**	**489,22 EUR**	**599 EUR**	**799 EUR**
2,00 EUR	2,00 EUR	-	2,00 EUR	2,00 EUR
C9929A	C9919A	B11B149043	C7717A	C7718A
768237	768238	695684	EN: 593045 - NL/FR: 593044	EN: 593047 - NL/FR: 593046
A4 Flatbed Colorscanner	A4 Flatbed Colorscanner	Flatbed A4	A4 Flatbed colorscanner	A4 Flatbed colorscanner
2400x2400dpi	2400x2400dpi	2400 x 4800 dpi	2400x2400dpi	2400x2400dpi
unlimited enhanced	unlimited enhanced	12800 dpi	unlimited enhanced	unlimited enhanced
48 bit	48 bit	48/48bit	48 Bit	48 Bit
216x297 mm	216x297 mm	216 x 297mm	216x297 mm	216x297 mm
<25sec for 10x15cm photo into Word - <41 sec for page of text into Word	<28sec for 10x15cm photo into Word - <31 sec for page of text into Word	Monochrome: 3.8 msec/line Colour: 11.0 msec/line	<25sec for 10x15cm photo into Word <50sec for page of text into Word	<25sec for 10x15cm photo into Word <50sec for page of text into Word
USB 2.0 (cable included)	USB 2.0 (cable included)	USB 2.0 / IEEE1394	USB (cable included) - SCSI II (no card supplied)	USB (cable included) - SCSI II (no card supplied)
W98/Me/2000/XP - Mac 9.1 and higher/X/10.1 and higher	W98/Me/2000/XP - Mac 9.1 and higher/X/10.1 and higher	Windows 98, 2000, ME Macintosh OS 8.1 or later	W98/Me/2000 (USB)	W98/Me/2000 (USB)
5-button: scan - copy - e-mail - share-to-web - hp memories disk & transparency adapter for 35mm slides/negatives + 24sh automatic photo feeder (9x13 and 10x15cm)	5-button: scan - copy - e-mail - share-to-web - copy center & ADF 35sh	Text Enhancement Technology;Auto Area Segmentation;Digital halftoning;dia dapter included	6-button: copy - e-mail - fax - edit text - file - scan/Active transparency adapter 35mm neg/slide & transparencies up to 12, 7x12, 7cm	6-button: copy - e-mail - fax - edit text - file - scan/Active transparency adapter 35mm neg/slide & transparencies up to 12, 7x12, 7cm/ADF 50sh A4
CD-ROM with hp photo & imaging software with integrated OCR for Windows (Mac = Readiris)/hp share-to-web software/copy utility	CD-ROM with hp photo & imaging software with integrated OCR for Windows (Mac = Readiris)/hp share-to-web software/copy utility/ScanSoft PaperPort LE	EPSON TWAIN 5.5 Transparency Scanning, Auto Locate, Auto Exposure, Document Type Recognition, Auto Skew Correction, Multiple Photo Scanning, Windows ICM, Windows sRGB, Macintosh ColorSync, Easy & Advanced User Interface	CD-ROMs including: hp precisionscan pro 3.0 scanning software; hp scanjet copy utility; hp share-to-web; for PC: hp precisionscan lan scanning software for network sharing, Corel Print Office 2000, Adobe Acrobat Reader 4.0, ScanSoft OmniForm 4.0, Boomerang Internet DesignShop Gold 2000 Web site-creation, Boomerang WebShop 2000 Web site creation software (English only), I.R.I.S. Cardiris 2.0 business card organizer OCR software	CD-ROMs including: hp precisionscan pro 3.0 -scanning software; hp scanjet copy utility; hp share-to-web; for PC: hp precisionscan lan -scanning software for network sharing, Corel Print Office 2000, Adobe Acrobat Reader 4.0, ScanSoft OmniForm 4.0, Boomerang Internet DesignShop Gold 2000 Web site-creation, Boomerang WebShop 2000 Web site creation software -(English only), I.R.I.S. Cardiris 2.0 business card organizer OCR software, Iris ReadIris 6.0 ocr
3 year warranty On-Site	3 year warranty On-Site/transparancy adapter		3 year warranty On-Site/SCSI card & cable/ ADF 50 pag A4	3 year warranty On-Site/SCSI card & cable
1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
www.hp.be	www.hp.be	www.epson.be	www.hp.be	www.hp.be
ease of use hp photo & imaging software - 5 scan-to-buttons - no warm-up time - unique automatic photo feeder	***high speed scanning up to 8 ppm with ADF - hp photo & imaging software - copier like format for comfort scanning***	***1. USB 2.0 and firewire as standard interfaces 2. Built-in 4" x 9" transparancy unit 3. Intelligent TWAIN driver can scan multiple photos in one process***	***ease of use hp precisionscan 3.0 software - dual sensor for speed & quality - a lot of top software titles - 6 easy scan-to-buttons - Mac & pc compatible - all cables included***	***ease of use hp precisionscan 3.0 software - dual sensor for speed & quality - a lot of top software titles - 6 easy scan-to-buttons - Mac & pc compatible - all cables included***

OVERVIEW

				
	CANON	EPSON	hp	EPSON
MODEL	**FS4000US**	**Expression 1680**	**ScanJet 7490c**	**GT-10000+**
PRICE EUR*	**1.097,99 EUR**	**1680: 1.182,17 EUR 1680 Pro: 1.586,31 EUR**	**1.199 EUR**	**1.632,29 EUR**
RECUPEL (incl.VAT)	2,00 EUR	-	2,00 EUR	-
PARTNR.	6735A003	Expression 1680: B11B138021GA Expression 1680 Pro: B11B138041GA	C7719A	B11B107021GA
ARTNR.	617539	Expression 1680: 621122 Expression 1680 Pro: 621123	EN: 593049 NL/FR: 593048	536103
SCANNER TYPE	Desktop Film Scanner	Flatbed A4	A4 Flatbed colorscanner	Flatbed A3
RESOLUTION OPTICAL	4000 x 4000 dpi	1600 x 3200 dpi	2400x2400dpi	600 x 2400 dpi
RESOLUTION INTERPOLATED	125 - 4000 dpi	12800 dpi	unlimited enhanced	9600 dpi
COLOR DEPTH	42-bit input/24-bit output	48/48bit	48 Bit	36 bit
SCANNING AREA	24.0 x 36.0mm (35mm film), 15.6 x 27.4mm (APS film)	216 x 297 mm	216x297 mm	297 x 432 mm
SCANNING SPEED	Colour 1000 dpi: 12 – 72 sec Colour 2000 dpi: 24 – 144 sec Colour 4000 dpi: 48 – 287 sec (Not including transfer times and depends on the film type)	Monchrome: 3,1 msec/line Colour: 9,2 msec/line	<25sec for 10x15cm photo into Word <50sec for page of text into Word	Mono: 10 ppm A4 200dpi Colour: 4,0 msec/line
INTERFACE	USB 1.1/SCSI-2	USB / SCSI x 2	USB (cable included) - SCSI II (card & cable included)	SCSI x 2
OS	Windows 98, 2000, ME Macintosh OS 8.6 or later, OS X	Windows 98, 2000, ME Macintosh OS 8.1 or later	W98/Me/2000 (USB); Win 95/98/2000/Me/NT 4.0	Windows 95, 98, NT 4.0, Macintosh OS 8.1 or later
FEATURES		Text Enhancement Technology; Auto Area Segmentation; dia adapter included (1680 Pro)	6-button: copy - e-mail - fax - edit text - file - scan - Active transparency adapter 35mm neg/slide & transparencies up to 12, 7x12, 7cm/ADF 50sh A4/SCSI card & cable	-
SOFTWARE	FilmGet FS (Win/Mac)-Adobe Photoshop 5.0LE (Win/Mac)	Lasersoft Silverfast 5.0 Epson Scan Server Epson Netwerk Twain	CD-ROMs including: hp precisionscan pro 3.0 scanning software; hp scanjet copy utility; hp share—to-web; for PC: hp precisionscan lan scanning -software for network sharing, Corel Print Office 2000, Adobe Acrobat Reader 4.0, ScanSoft OmniForm 4.0, Boomerang Internet DesignShop Gold 2000 Web -site-creation, Boomerang WebShop 2000 Web site -creation software (English only), I.R.I.S. Cardiris -2.0 business card organizer OCR software, Iris Read—Iris 6.0 ocr, Panorama Maker 2000, CorelDraw 9.0	Epson Scan Server Epson Netwerk Twain Adobe PhotoshopDeluxe Xerox Textoride Pro
OPTIONS		hardware-netwerkbox IEEE 1394, transparancy unit, aut. doc. feeder	3 year warranty On-Site	Duplex-sheetfeeder 30 sh A3; Hardware Networkbox
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.canon.be	www.epson.be	www.hp.be	www.epson.be
WHY BUY?	***1.Desktop 35mm/APS film scanner 2. Fare-technology (removes dust & scratches on the original) 3. Batch scanning :APS scanning till 40 frames, 35mm filmstrips till 6 frames***	***1. Automatic document feeder (30 pages) possible in option 2. Network capable 3. Includes SilverFast Ai5 with IT8 calibration for graphics professionals***	***ease of use hp precisionscan 3.0 software - dual sensor for speed & quality - a lot of top software titles - 6 easy scan-to-buttons Mac & pc compatible - scsi unit for top quality - all cables included***	***1. A3 scanner for business 2. Optional 10 ppm automatic document feeder 3. Optional Network Image Express for direct network scanning***

		
	EPSON	EPSON
MODEL	**Expression 1640XL**	**GT-30000**
PRICE EUR*	**3.896,2 EUR**	**6.579,98 EUR**
RECUPEL (incl.VAT)	-	-
PARTNR.	B11B121021GA	B11B106031GA
ARTNR.	540164	587967
SCANNER TYPE	A3+ Flatbed colorscanner	A3 Flatbed colorscanner
RESOLUTION OPTICAL	1600x3200 dpi	600 x 1200 dpi
RESOLUTION INTERPOLATED	6400 dpi	9600 dpi
COLOR DEPTH	42-bit	36/24 bit
SCANNING AREA	297 x 432 mm	297 x 432 mm
SCANNING SPEED	Monochroom: 4,5 ms/regel = circa 120 sec voor DIN A3, 1600 dpi, High-Speed-modus; Kleur: 13,2 ms/regel - circa 6 minuten voor DIN A3, 1600 dpi, High-Speed-modus	0,39 ms/line
INTERFACE	1 x USB standard, 2 x SCSI standard	1x SCSI-II, 68 pin, 1x SCSI-II, 50 pin
OS	Windows 98, Windows 2000, Windows Millennium, Macintosh System 8.1 of hoger, WIN 95, NT 4.0, Mac System 7.5 of hoger alleen via de SCSI-aansluiting	Windows 95, 98, Windows ME/2000/2000Pro, Windows NT 4.0 WS
FEATURES	-	-
SOFTWARE	EPSON Scan Server; EPSON Network TWAIN; Adobe Photoshop LE; Scansoft Textbride Pro; Lasersoft Silverfast 5.0	EPSON Scan Server, EPSON TWAIN HS Network, EPSON TWAIN HS, ISIS driver
OPTIONS	Network-hardware; 3 year warranty On-Site	hardware-netwerkbox IEEE 1394
WARRANTY	1 year carry-in	1 year carry-in
WEBSITE	www.epson.be	www.epson.be
WHY BUY?	***1. A3+ scanner 2. SCSI & USB interfaces as standard 3. Includes SilverFast Ai5 with IT8 Calibration for graphics professionals***	***1. 100-page duplexing ADF as standard 2. Optional Network Image Express hardware scanner server 3. Quick start scanning button***

streetprice incl VAT, excl Recupel

De nieuwe

eenvoudig te gebruiken, helderdere en lichtere projectoren van Sony

De VPL-CS5 en VPL-CX5 Ultra lichte draagbare projectoren.

eenvoudig te gebruiken | dankzij de intelligente Auto Setup worden projectiehoekcorrectie, trapeziumcorrectie en bronselectie alle automatisch voor u ingesteld. Met één druk op een knop bent u gereed om te presenteren.

helderder | met een lichtopbrengst tot 2000 ANSI lumen kunt u scherpe, heldere beelden projecteren in de lichtste ruimtes.

lichter | met een gewicht van slechts 2,7 kg zijn de nieuwe compacte Sony projectoren eenvoudig te vervoeren van de ene naar de andere kantoorruimte of naar een externe locatie.



VPL-CX5
Memory Stick projector voor presentaties zonder pc.

- 2000 ANSI lumen
- Intelligente Auto Setup
- XGA-resolutie
- 2,7 kg
- Bijgeleverde draagtas

Artnr.: 763843
Partnr.: VPL-CX5
Richtprijs: 4.416 EUR

VPL-CS5
Compacte projector op instapniveau.

- 1800 ANSI lumen
- Intelligente Auto Setup
- SVGA-resolutie
- 2,7 kg
- Bijgeleverde draagtas

Artnr.: 763842
Partnr.: VPL-CS5
Richtprijs : 2.776 EUR

SONY®


Canon